



TECHNICAL SOLUTIONS
BRACKETS & STIFFENERS
INTERIOR & EXTERIOR FITTINGS
TABLE LEGS

2024/2025

CREATOR OF NEW FIT-OUT SOLUTION





MSA FRANCE

For 25 years MSA FRANCE
and its design office teams have been providing
new solutions for fitting out your home.

The new concepts imagined every year
are the fruit of our **research and observations** and,
of course, **of the suggestions** made by our customers.


The concepts imagined by MSA FRANCE
over all these years can be identified by **this logo**
and you can discover them for yourselves.

Follow us on your favourite social network




2000

1995



MSA FRANCE WAS CREATED

Acquisition by Christian Veron, settling in Saint-Raphaël. The initial activity was trading lighting and fittings interiors.



CREATION OF THE DESIGN AND R&D OFFICE

Our 2 designers and 2 engineers design innovative, smart products, functional and of high quality.

2004



INSTALLATION OF THE FIRST SHUTTLES

These storage robots make it possible to increase the storage area and improve the reliability of operations

MSA

2015

2011



CRM

Implementation of a new tool tailor-made for the management of the customer relationship.



EIGHT SOCKET

Creation of the Eight socket, which received many awards and acclaimed by the French kitchen designers.

2022



TRADE FAIRS

First presence at SICAM, the international fair for components, accessories and semi-finished products for the furniture industry (Pordenone, Italy).

FRANCE

CONTENTS



TECHNICAL SOLUTIONS	5-16
BRACKETS & STIFFENERS	17-30
INTERIOR & EXTERIOR FITTINGS	31-54
TABLE LEGS	55-76



TECHNICAL SOLUTIONS



TECHNICAL SOLUTIONS




WORKTOP REINFORCEMENT **FORZA**

2 profile version

FINISH	REF.
galvanized steel (furniture of 1200 mm)	D1040
galvanized steel (furniture of 1000 mm)	D1041
galvanized steel (furniture of 900 mm)	D1042
galvanized steel (furniture of 800 mm)	D1043

The version to avoid the bending of the worktop when the appliances are pending: washing machine, dish washer...

- The kit consists of 2 adjustable profiles of 20 mm and 4 adjustable end tips.
- Installation and adjustment before positioning the worktop.
- The 2 profiles are equipped with glued foam joints to ensure proper fit and to avoid vibrations.
- The kit exists in 4 furniture lengths: 800/900/1000/1200 mm, 16 to 19 mm thickness.
- Only one finish: galvanized steel.
- Patented concept.




WORKTOP REINFORCEMENT **FORZA**

2 profile and 2 cross-piece version

FINISH	REF.
galvanized steel (furniture of 1200 mm)	D1050
galvanized steel (furniture of 1000 mm)	D1051
galvanized steel (furniture of 900 mm)	D1052
galvanized steel (furniture of 800 mm)	D1053

The version for installation in furniture with a sink or a hob: a cut-out in the worktop.

- The kit consists of 2 adjustable profiles of 20 mm, 2 adjustable cross-pieces of 20 mm and 4 adjustable end tips.
- Installation and adjustment before positioning the worktop.
- With glued foam joints to ensure proper fit and to avoid vibrations.
- The 2 adjustable cross-pieces can be positioned depending on the cut-out: every 100 mm.
- The kit exists in 4 furniture lengths: 800/900/1000/1200 mm, 16 to 19 mm thickness.
- Only one finish: galvanized steel.
- Patented concept.



TECHNICAL SOLUTIONS



Ideal for reinforcing granite, ceramic and natural worktops. Adjustable


WORKTOP REINFORCEMENT **FORZA⁺** REINFORCED

2 profile version

FINISH	REF.
galvanized steel (furniture of 1200 mm)	D1060
galvanized steel (furniture of 900 mm)	D1062

The version to avoid the bending of the worktop when the appliances are pending: washing machine, dish washer...

- The kit consists of 2 adjustable profiles of 30x20 mm and 4 adjustable end tips.
- Installation and adjustment before positioning the worktop.
- The 2 profiles are equipped with glued foam joints to ensure proper fit and to avoid vibrations.
- The kit exists in 2 furniture lengths: 900/1200 mm, 16 to 19 mm thickness.
- Only one finish: galvanized steel.
- Patented concept.



Ideal for reinforcing granite, ceramic and natural worktops. Adjustable


WORKTOP REINFORCEMENT **FORZA⁺** REINFORCED

2 profile and 2 cross-piece version

FINISH	REF.
galvanized steel (furniture of 1200 mm)	D1070
galvanized steel (furniture of 900 mm)	D1072

The version for installation in furniture with a sink or a hob: a cut-out in the worktop.

- The kit consists of 2 adjustable profiles of 30x20 mm, 2 adjustable cross-pieces of 20x20 mm and 4 adjustable end tips.
- Installation and adjustment before positioning the worktop.
- With glued foam joints to ensure proper fit and to avoid vibrations.
- The 2 adjustable cross-pieces can be positioned depending on the cut-out: every 100 mm.
- The kit exists in 2 furniture lengths: 900/1200 mm, 16 to 19 mm thickness.
- Only one finish: galvanized steel.
- Patented concept.



TECHNICAL SOLUTIONS




100 kg
Maximum
load

SET OF 2 "FIXPAK" BRACKETS

FINISH
galvanized steel

REF.
D2795

- System of brackets (right + left) in galvanized steel specially designed to support the washbasin or furniture.
- Maximum load 100 kg (for 2 brackets).
- Depth of top: 60 cm.
- Screws not supplied.




50 kg
Maximum
load

SET OF 2 "FIXPAK" BRACKETS

FINISH
galvanized steel

REF.
D2785


- System of brackets (right + left) in galvanized steel specially designed for supporting shelves.
- Maximum load 50 kg (for 2 brackets).
- Shelf depth: 40 cm.
- Screws not supplied.



TECHNICAL SOLUTIONS



Leg and brackets sold separately



WORKTOP STIFFENER

Length 800 mm

FINISH	REF.
zinc-plated steel	D1015
matte black	D1016
matte white	D1016B

Length 1124 mm

FINISH	REF.
zinc-plated steel	D1017
matte black	D1019
matte white	D1019B

Length 1448 mm

FINISH	REF.
zinc-plated steel	D1025
matte black	D1026
matte white	D1026B

Length 1772 mm

FINISH	REF.
zinc-plated steel	D1027
matte black	D1029
matte white	D1029B

- Prevents the worktop from sagging.
- Space for 3 8 mm diameter cables.
- One side is designed to be installed between the worktop and the flank of the unit.
- To be installed along the length of the worktop, to be attached with screws (countersunk holes) or by glue.
- Made of steel, thickness: 2 mm.

TECHNICAL SOLUTIONS



STEEL ATTACHMENT BRACKET THICKNESS 3 MM

Length 270 mm

FINISH	REF.
zinc-plated steel	D2714
aluminium	D2713
white	D2718
black	D2719

Length 540 mm



FINISH	REF.
zinc-plated steel	D2715
aluminium	D2712
white	D2716
black	D2717

Length 740 mm

FINISH	REF.
zinc-plated steel	D2725
aluminium	D2722
white	D2726
black	D2727



Pre-drilled (M4) 3 mm steel profile, specially designed to attach all your worktops either to a wall or to the edge of a unit (screws not supplied). Height adjustment possible thanks to the oblong holes: 5 mm.





100 kg
Maximum
load

“ECO” MOUNTING BRACKET

Length 270 mm

FINISH	REF.
galvanized steel	D2614


Length 540 mm

FINISH	REF.
galvanized steel	D2615

Length 740 mm

FINISH	REF.
galvanized steel	D2625

1.5 mm steel profile
pre-drilled (M4)
specially designed
for fixing all your
worktops either
against a wall or
furniture edge
(screws not supplied).



TECHNICAL SOLUTIONS


D2741

msa
Concept



+ For tabletop thickness 9 mm min.
Thickness: 2 mm
Countersunk pre-drilled M4

Invisible installation way



150 kg
Maximum
load

INVISIBLE ATTACHMENT BRACKET 9 MM : MADE OF 2 MM STEEL

Length 270 mm

FINISH	REF.
zinc-plated steel	D2707
black	D2740


Length 540 mm

FINISH	REF.
zinc-plated steel	D2708
black	D2741

Length 740 mm

FINISH	REF.
zinc-plated steel	D2709
black	D2742

Screws not supplied.




D2705

msa
Concept



+ For tabletop thickness 24 mm min.
Thickness: 2 mm
Countersunk pre-drilled M4

Invisible installation way



D2705

150 kg
Maximum
load



INVISIBLE ATTACHMENT BRACKET 24 MM : MADE OF 2 MM STEEL

Length 270 mm

FINISH	REF.
zinc-plated steel	D2704
black	D2750


Length 540 mm

FINISH	REF.
zinc-plated steel	D2705
black	D2751

Length 740 mm

FINISH	REF.
zinc-plated steel	D2706
black	D2752

Screws not supplied.



TECHNICAL SOLUTIONS




200 kg
Maximum
load

WORKTOP AND SNACK BRACKET "STRONG"

Depth 195 mm / sold individually

FINISH	REF.
stainless steel	D3201
matte white	D3202
matte black	D3203
stainless steel laser cut	D3221
matte black laser cut	D3223




- Bracket specially designed for fixing worktops, dining areas, shelves etc.
- Stainless steel profile (stainless steel screw) or matte black lacquered steel RAL 9005 (black screws), or matte white RAL 9016 (screws with white screw covers).
- Sleek design, 2.5 mm profile thickness.
- Shelf depth: 30 cm max.



Depth 360 mm / sold individually

FINISH	REF.
stainless steel	D3211
matte white	D3212
matte black	D3213
stainless steel laser cut	D3225
matte black laser cut	D3227

- Shelf depth: 50 cm max.



TECHNICAL SOLUTIONS

D3271



D3277



200 kg
Maximum
load




WORKTOP AND SNACK BRACKET “STRONG SLIM”

Depth 195 mm / sold individually

FINISH	REF.
brushed stainless steel	D3271
matte white	D3272
matte black	D3273

Depth 360 mm / sold individually

FINISH	REF.
brushed stainless steel	D3275
matte white	D3276
matte black	D3277



- Bracket specially designed for fixing worktops, shelves etc. and facilitate the room for your knees.
- Stainless steel profile (stainless steel screw) or matte black lacquered steel RAL 9005 (black screws), or matte white RAL 9016 (screws with white screw covers).
- Sleek design, 2.5 mm profile thickness.
- Shelf depth: 30 cm or 50 cm max.

TECHNICAL SOLUTIONS

D3215



Stainless steel AISI 304 or
steel lacquered matte black.
2.5 mm profile.
Very high load : 400 kg



D3217






400 kg
Maximum
load

WORKTOP AND SNACK BRACKET “STRONGER”

Depth 360 mm / sold individually

FINISH	REF.
stainless steel	D3215
matte black	D3217

- Bracket specially designed for fixing worktops, dining areas, shelves etc.
- Stainless steel profile (stainless steel screw) or matte black lacquered steel RAL 9005 (black screws)
- Sleek design, 2.5 mm profile thickness.
- Shelf depth: 50 cm max.



TECHNICAL SOLUTIONS




50 kg
Max. for
2 brackets

“MINI STRONG” SHELF SUPPORT BRACKET

Sold only as a set of 2

FINISH	REF.
brushed stainless steel	D9251
matte aluminium	D9252
matte black	D9253

- Used to support wood shelves.
- Shelf depth: 20 cm max.
- Distance between 2 brackets: 45 cm max.
- Steel: matte aluminium and matte black finishes.
- Stainless steel: brushed stainless steel finish.
- Screws supplied.



D9776
p. 21

SALT
PEPPER

D2411
p. 24

D2561 + D2541
p. 30

D3276
p. 23

D9852
p. 20

BRACKETS & STIFFENERS

BRACKETS & STIFFENERS



SHELF SUPPORT BRACKET 18, 19 OR 20 MM

Sold individually



FINISH

anodized aluminium 600 mm
matte black 600 mm
anodized aluminium 900 mm
matte black 900 mm

REF.

D3250
D3253
D3260
D3263

- Used to support wood shelves 18, 19 or 20 mm.
- For shelves: depth: 20 cm max, length: 60 or 90 cm max.
- Screws and dowels supplied.



BRACKETS & STIFFENERS



BRACKET FOR GLASS SHELF 3, 4, 5 AND 6 MM

Sold individually

FINISH	REF.
anodized aluminium 600 mm	D3230
matte black 600 mm	D3233
anodized aluminium 900 mm	D3240
matte black 900 mm	D3243

- Used to support glass shelves 3, 4, 5 and 6 mm.
- For shelves: depth: 20 cm max, length: 60 or 90 cm max.
- Screws and dowels supplied.




BRACKET + BLACK GLASS SHELF PACK 6 MM

Sold individually

FINISH	REF.
anodized aluminium 600 mm	D3235
matte black 600 mm	D3238
anodized aluminium 900 mm	D3245
matte black 900 mm	D3248

- 1 bracket for glass shelf.
- 1 glass shelf, thickness 6mm, black: length: 60 or 90 cm, width 20 cm.
- Screws and dowels supplied.



BRACKETS & STIFFENERS

D9843

For shelves of 600 mm width

Invisible fixing.
Exclusive design.
For shelf thickness 16, 19 or 25 mm

Shelf not supplied

D9852

Shelf width 600 - 900 mm max

Shelf not supplied

5 kg

Maximum load

SHELF BRACKET IZO


For shelves of 600 mm width: 2 supports

FINISH	REF.
aluminium 16 mm	D9842
matte black 16 mm	D9843
aluminium 19 mm	D9862
matte black 19 mm	D9863
aluminium 25 mm	D9882
matte black 25 mm	D9883

For shelves of 600 mm to 900 mm width:
2 supports + central piece

FINISH	REF.
aluminium 16 mm	D9852
matte black 16 mm	D9853
aluminium 19 mm	D9872
matte black 19 mm	D9873
aluminium 25 mm	D9892
matte black 25 mm	D9893

- To fix wooden shelves of 16, 19 or 25 mm thickness.
- For shelves of 15 cm depth max, 90 cm width max.
- Screws provided.



BRACKETS & STIFFENERS

D9776



For shelves up to 250 mm deep
Maximum load 10 kg

10 kg
Maximum
load

SHELF BRACKET *IZO 2*



For shelves with 600 mm width max,
250 mm depth max. : 2 supports

FINISH	REF.
matte black 19 mm	D9763
matte white 19 mm	D9764
matte black 22 mm	D9766

For shelves with 600 to 900 mm width max,
250 mm depth max. : 2 supports + central piece

FINISH	REF.
matte black 19 mm	D9773
matte white 19 mm	D9774
matte black 22 mm	D9776

- For fixing wooden shelves 19 to 25 mm thick.
- Screws supplied.



BRACKETS & STIFFENERS




50 kg
Max. for
2 brackets

“MINI STRONG” SHELF SUPPORT BRACKET

Sold only as a set of 2

FINISH	REF.
brushed stainless steel	D9251
matte aluminium	D9252
matte black	D9253

- Used to support wood shelves.
- Shelf depth: 20 cm max.
- Distance between 2 brackets: 45 cm max.
- Steel: matte aluminium and matte black Finishes.
- Stainless steel: brushed stainless steel finish.
- Screws supplied.



BRACKETS & STIFFENERS

D3271



D3276



D3275



D3277



200 kg
Maximum
load




WORKTOP AND SNACK BRACKET “STRONG SLIM”

Depth 195 mm / sold individually

FINISH	REF.
brushed stainless steel	D3271
matte white	D3272
matte black	D3273

Depth 360 mm / sold individually

FINISH	REF.
brushed stainless steel	D3275
matte white	D3276
matte black	D3277



- Bracket specially designed for fixing worktops, shelves etc. and facilitate the room for your knees.
- Stainless steel profile (stainless steel screw) or matte black lacquered steel RAL 9005 (black screws), or matte white RAL 9016 (screws with white screw covers).
- Sleek design, 2.5 mm profile thickness.
- Shelf depth: 30 cm or 50 cm max.

BRACKETS & STIFFENERS



90 kg

Maximum


load

SHELF SUPPORT “VELA”

Sold individually

FINISH	REF.
matte black	D2411
chrome	D2412
aluminium	D2413
brushed aluminium	D2414

- Attachment to the wall.
- Oval aluminium profile specially designed to facilitate cleaning.



D2412



D2413



D2414



BRACKETS & STIFFENERS

D2511




D2512



D2513



D2514



90 kg
Maximum
load

TILTED "VELA" SNACK COUNTER BRACKET

Height 200 mm / sold individually

FINISH	REF.
matte black	D2511
chrome	D2512
aluminium	D2513
brushed aluminium	D2514

- Attached to the worktop.
- Oval aluminium profile specially designed to facilitate cleaning.

BRACKETS & STIFFENERS



120 kg
Maximum
load

“TECNICO” WALL BRACKET

Sold individually


FINISH	REF.
chrome	D2442
aluminium	D2443
black	D2441
matte white	D2444

- Attachment to the wall.
- Special heavy-duty shelf.
- Max. shelf depth: 400 mm.

D2442



D2443



BRACKETS & STIFFENERS




“QUADRATO” STRAIGHT BRACKET

Height 108 mm / sold individually

FINISH	REF.
brushed stainless steel	D2421
aluminium	D2423

Height 208 mm / sold individually

FINISH	REF.
brushed stainless steel	D2481
aluminium	D2483



- Attached to the worktop.
- Square profile 40 x 40 mm.
- Upper and lower plate size: 47 x 47 mm.




“QUADRATO” TILTED BRACKET

Height 108 mm / sold individually

FINISH	REF.
brushed stainless steel	D2431
aluminium	D2433

Height 208 mm / sold individually

FINISH	REF.
brushed stainless steel	D2491
aluminium	D2493




- Attached to the worktop.
- Square profile 40 x 40 mm.

To glue a glass worktop: use a plate below.

“QUADRATO” FIXING PLATE FOR GLASS

For straight Quadrato bracket


FINISH	REF.
brushed stainless steel	D2461
aluminium	D2463



- Fixing part by gluing the plate under the glass worktop.
- Gluing by ultraviolet to be done by a professional.

For tilted Quadrato bracket

FINISH	REF.
brushed stainless steel	D2471
aluminium	D2473



- Fixing part by gluing the plate under the glass worktop.
- Gluing by ultraviolet to be done by a professional.

BRACKETS & STIFFENERS

D2504



90 kg
Maximum
load

SNACK BRACKET 2 POSITIONS

Sold individually



FINISH

brushed aluminium

REF.

D2504

- Two attachment possibilities:
 - 1) to the worktop:
the shelf is above the snack counter.
 - 2) to the edge of the unit: shelf
offset in front of the unit.
- Upper plate dimensions:
140 x 50 mm.
- Threaded rod Ø:
5 mm - Max. worktop
thickness: 40 mm.



D2551



90 kg
Maximum
load

TILTED ROUND SNACK BRACKET


Sold individually

FINISH
stainless steel (shiny)
aluminium

REF.
D2551
D2552

– Ø40 mm hollow tube specially designed to fix glass shelves
or 7 to 40 mm thickness wood

To glue a glass worktop: use a plate below.



BRACKETS & STIFFENERS

D2541




STRAIGHT ROUND SNACK BRACKET

Sold individually

FINISH	REF.
stainless steel (shiny)	D2541
aluminium	D2542

- Ø40 mm hollow cuttable tube.
- To fix glass shelves or 7 to 40 mm thickness wood.

To glue a glass worktop: use a plate below.



D2561+D2541




FIXING PLATE FOR GLASS

For Straight Round snack bracket
ref. D2541 and D2542

FINISH	REF.
stainless steel (shiny)	D2561
aluminium	D2562


- Fixing part by gluing the plate under the glass worktop.
- Gluing by ultraviolet to be done by a professional.



For Tilted Round snack bracket
ref. D2551 and D2552

FINISH	REF.
Stainless steel (shiny)	D2571
aluminium	D2572

- Fixing part by gluing the plate under the glass worktop.
- Gluing by ultraviolet to be done by a professional.





INTERIOR & EXTERIOR FITTINGS



INTERIOR & EXTERIOR FITTINGS






UNDER-SINK ORGANISER **MULTY**

FINISH	REF.
orion grey	C60
matte black	C63


5 kg
Maximum
load



- Used to store bin bags, sprays and miscellaneous household items.
- With stops to hold the sprays.
- Can be installed to the left or right of the siphon.
- Lacquered metal, screws supplied.




Under-sink unit
front view



Under-sink unit
side view

INTERIOR & EXTERIOR FITTINGS



UNDER-SINK ORGANISER **BIRD**

FINISH	REF.
orion grey	C65
matte black	C66

8 kg
Maximum
load




PRESENTATION

- Used to store bottles leaving the bottom of the unit free.
- Maximum capacity: 8 bottles / 8 kg.
- Can be installed to the left or right of the siphon.
- Lacquered metal.
- Attached to the flank of the unit; screws provided.



INTERIOR & EXTERIOR FITTINGS



LID RACK


Length 510 mm

FINISH	REF.
orion grey	C520
white	C522
matte black	C523

Length 790 mm

FINISH	REF.
orion grey	C530
white	C532
matte black	C533

- Steel bar to be installed in a drawer, specially designed for storing saucepan lids.
- Simple attachment with screws (not provided).



"ELASTICO" LID RACK


Length 510 mm

FINISH	REF.
matte black	C583

Length 790 mm

FINISH	REF.
matte black	C593

- Steel bar to be attached to the back of the face with screws, the position of the elastic is modular.
- The elastic allows you to store utensils: saucepan handles, tupperware lids, etc.
- Supplied with the attachment screws and a spare elastic.



INTERIOR & EXTERIOR FITTINGS



“ECO” LID RACK


Length 510 mm

FINISH	REF.
black	C413


Length 790 mm

FINISH	REF.
black	C423

- Steel bar for mounting in a drawer or against a door for storing lids.
- Simple screw fixing (not supplied).



INTERIOR & EXTERIOR FITTINGS



LID RACK DOUBLE VERSION



PRESENTATION


Length 510 mm

FINISH	REF.
orion gray	C550
white	C552
matte black	C553

Length 790 mm

FINISH	REF.
orion gray	C560
white	C562
matte black	C563

Kit of 2 lid racks length 510 or 790 mm fixed together by 2 adapters (black for orion gray and black finishes, galvanized steel for white finish).



INTERIOR & EXTERIOR FITTINGS



MAGNETIC SILICONE DISHCLOTH HANGER

Sold only in sets of two


FINISH	REF.
black/taupe	C500




- 2 kits each including:
 - 1 dia. 51 mm magnet
 - 2 dia. 31 mm silicone-coated magnets to hold the dishcloth in place.
- Used to hold a dishcloth on the door of a unit with a thickness of 20 mm max.
- Easy attachment by double sided tape or screw (Main magnet).

Functioning:


- Main magnet (Ø 51mm) to be installed in the unit and make it possible to hang up the dishcloth.



Pair of magnets to hold the dishcloth.



Main magnet to be positioned inside the unit.



Drilling diameter: 35 mm, identical to the drilling diameter for a hinge


INTERIOR & EXTERIOR FITTINGS



DISHCLOTH RAIL

FINISH	REF.
matte white	C752
matte black	C753


- Steel dishcloth rail to be installed in a drawer or unit.
- Simple attachment with screws (provided).



SLIDING DISHCLOTH RAIL

FINISH	REF.
matte white	C772
matte black	C773


- Steel sliding dishcloth rail, to be mounted in a unit or on a flank.
- Simple attachment with screws and spacers (provided).




TOWEL RACK

FINISH	DIMENSIONS	REF.
1 branch chrome	400	C710
2 branches chrome	310	C701
2 branches black/chrome	310	C703
2 branches chrome	400	C711
2 branches black/chrome	400	C713

- Made up of 1 or 2 branches in stainless steel that slide on a profile fitted with noise-cancelling inserts.
- Delivered with chrome screws and 3 or 6 o-rings allowing to hold the towels on the branches.



INTERIOR & EXTERIOR FITTINGS





SINGLE RACK FOR GLASSES

FINISH	REF.
chrome	D2052
grained aluminum	D2054
matte black	D2059

- Capacity: 3 glasses.
- Attached under worktop or unit.
- Screws not supplied.

Depth	275 mm
Thickness	35 mm
Width	106 mm
Gap for glasses	25 mm




TRIPLE RACK FOR GLASSES


FINISH	REF.
chrome	D2062
grained aluminum	D2064
graphite	D2065
matte black	D2069

- Capacity: 9 glasses.
- Attached under worktop or unit.
- Screws not supplied.

Depth	275 mm
Thickness	35 mm
Width	305 mm
Gap for glasses	25 mm





INTERIOR & EXTERIOR FITTINGS



SINGLE RACK FOR GLASSES **SLIDE**

FINISH	REF.
brushed stainless steel	D2010
matte white	D2012
matte black	D2019
matte gold	D2015
matte copper	D2016


- Capacity: 3 glasses.
- Attached under worktop or unit.
- Screws not supplied.



TRIPLE RACK FOR GLASSES **SLIDE**

FINISH	REF.
brushed stainless steel	D2020
aluminium	D2024
matte black	D2029
matte gold	D2025
matte copper	D2026

- Capacity: 9 glasses.
- Attached under worktop or unit.
- Screws not supplied.




THICK GLASSES RACK **SLIDE**


Capacity 6 thick glasses

COULEUR	REF.
brushed stainless steel	D2022
black	D2023

- For mounting under worktops, furniture or shelves.
- Screws not supplied.



INTERIOR & EXTERIOR FITTINGS



THIN MULTI GLASS RACK **SLIDE**


FINISH

matte black 600 mm
matte black 900 mm

REF.

D2031
D2039

- Capacity: 6 glasses (length 600 mm) or 9 glasses (length 900 mm).
- Attachment under worktop, unit or shelf.
- Screws not supplied.



THICK GLASSES RACK **SLIDE** LOW DEPTH

Width 600mm, 5 thick glasses

FINISH

brushed stainless steel
matte black

REF.

D2032
D2033

Width 840mm, 7 thick glasses


FINISH

brushed stainless steel
matte black

REF.

D2042
D2043

- For mounting under worktops, furniture or shelves.
- Screws not supplied



MUG-HOLDER


FINISH

black


REF.

D2089

- Steel with matte black finish.
- Attached under or in the upper unit with 2 screws (not supplied).
- Capacity: 4 mugs.




INTERIOR & EXTERIOR FITTINGS



Extra-thin cutting board in DEKTON.
To install in a worktop or table.
Stainless steel thickness: 1 mm

DEKTON is a unique material easy to clean and maintain : high resistance to scratches, to heat and fire, and to stains (coffee, wine, bleach...)



BUILT-IN DEKTON CUTTING BOARD

Size 372 x 322 mm – Cut-out 356 x 306

FINISH	REF.
stainless steel frame – Black Dekton "Sirius" *	D1454
black frame – Black Dekton "Sirius" *	D1454N
stainless steel frame – White Dekton "Mooné" *	D1452

Size 472 x 372 mm – Cut-out 456 x 356

FINISH	REF.
stainless steel frame – Black Dekton "Sirius" *	D1458
black frame – Black Dekton "Sirius" *	D1458N
stainless steel frame – White Dekton "Mooné" *	D1457

- Stainless steel frame (1 mm thickness) integrating a DEKTON plate.
- To rest your pans or hot plates from cooking.
- For all kinds of worktops.
- 300°C temperature resistance.
- Assembly: cut the worktop to fitment size and install the product with silicone to seal.
- It is possible to mount this accessory for a professional repair in the event of a shock observed on the work surface.

*Solid Collection

INTERIOR & EXTERIOR FITTINGS



READY
TO INSTALL

STAINLESS STEEL TRIVET

Star shape



consists of eight 80 mm-long rods

FINISH

brushed stainless steel

REF.

D1535



- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Stainless steel.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.

Special long dish

consists of eight 130 mm-long rods.

FINISH

brushed stainless steel

REF.

D1525

INTERIOR & EXTERIOR FITTINGS



READY
TO INSTALL

STAINLESS STEEL PAN TRIVET

FINISH	REF.
bright stainless steel 4 mm	D1520
black 4 mm	D1523

- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Stainless steel.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.
- Consists of six 296 mm-long rods.



INTERIOR & EXTERIOR FITTINGS



READY
TO INSTALL

STAINLESS STEEL PAN TRIVET

FINISH

stainless steel
black

REF.

D1530
D1533

- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Stainless steel.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.
- Consists of:
two 296 mm,
two 250 mm and
two 130 mm-long rods.



INTERIOR & EXTERIOR FITTINGS




READY
TO INSTALL

STAINLESS STEEL PAN TRIVET

FINISH	REF.
brushed stainless steel	D1565

- Stainless steel square ready-to-install on a smooth surface thanks to its heat-resistant double sided tape adhesive.
- You can put your saucepans, frying pans and hot dishes down on all types of worktop when you take them off the heat: postformed, solid wood or granite without any need for machining (except stone worktops).
- Consists of one 66 mm piece and four 30 mm pieces.
- Stainless steel.




READY
TO INSTALL

STAINLESS STEEL PAN TRIVET

FINISH	REF.
brushed stainless steel black	D1550 D1553

- Stainless steel circles ready-to-install on a smooth surface thanks to its heat-resistant double sided tape adhesive.
- You can put your saucepans, frying pans and hot dishes down on all types of worktop when you take them off the heat: postformed, solid wood or granite without any need for machining (except stone worktops).
- Consists of one Ø 55 mm piece and six Ø 30 mm pieces.
- Stainless steel.



INTERIOR & EXTERIOR FITTINGS

D1542



D1541



“2 IN 1” PAN TRIVET

READY
TO INSTALL


FINISH

chrome-plated metal / black silicone
chrome-plated metal / taupe silicone

REF.

D1541
D1542

- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Chrome-plated metal with central silicone pad.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.
- Consists of six 210 mm-long rods.
- Silicone trivet serving as template for positioning the protection rods. Soft food-grade silicone.
- Withstands temperatures up to 250 °C. Clean with water.



INTERIOR & EXTERIOR FITTINGS




READY
TO INSTALL

MAGNETIC "FIVE" "2 IN 1" PAN TRIVET


FINISH
black
red

REF.
D1591
D1593

- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
 - Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
 - For all types of worktop: post-formed, solid wood or granite (smooth surface).
 - Installed without machining the worktop.
 - Consists of five Ø 25 mm circles, made of chrome-plated metal.
 - Silicone tablemat serving as installation template.
 - Soft food-grade silicone with notch for hanging it up and integrated magnets.
 - Withstands temperatures up to 250 °C.
- Clean with water.



INTERIOR & EXTERIOR FITTINGS



READY
TO INSTALL

"2 IN 1" PAN TRIVET


FINISH

black
taupe


REF.

D1581
D1582

- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.
- Consists of five Ø 25 mm circles, made of chromeplated metal.
- Silicone tablemat serving as installation template.
- Soft food-grade silicone with notch for hanging it up.
- Withstands temperatures up to 250 °C.
- Clean with water.



INTERIOR & EXTERIOR FITTINGS



KITCHEN ISLAND GLASS SEPARATOR

Height 170 mm

FINISH	REF.
transparent glass kit + support 600	D1760
black glass kit + black support 600	D1763N
transparent glass kit + support 900	D1790
satin glass kit + support 900	D1790S
black glass kit + black support 900	D1793N
transparent glass kit + support 1200	D1712
2 chrome support kit	D170




- Tempered transparent glass, thickness 8 mm.
- With 2 round chrome or black supports, attached under the worktop.
- Protects the worktop against cooking and water splashing.
- Glass removable for easy cleaning.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.

Height 200 mm

FINISH	REF.
transparent glass kit + support 900	D2090

- Tempered transparent glass, thickness 8 mm.
- With 2 round chrome or black supports, attached under the worktop.
- Protects the worktop against cooking and water splashing.
- Glass removable for easy cleaning.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.



INTERIOR & EXTERIOR FITTINGS



D1893N



D1890



KITCHEN ISLAND GLASS SEPARATOR


FINISH

transparent glass kit + support
black glass kit + chrome support
black glass kit + black support
satin glass kit + chrome support
satin glass kit + black support D1893S
2 chrome square supports kit

REF.

D1890
D1890N
D1893N
D1890S
D1893S
D180

- Tempered transparent glass, thickness 8 mm.
- With 2 brushed stainless steel supports, attached under the worktop.
- Protects the worktop against cooking and water splashing.
- Glass held on the support by a magnet.
- Glass removable for easy cleaning.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.



INTERIOR & EXTERIOR FITTINGS



INTEGRATED
DOUBLE SIDED
TAPE
ATTACHMENT

KITCHEN ISLAND SEPARATOR KIT WITHOUT DRILLING 900 MM


- Tempered transparent glass, thickness 8 mm.
- With 2 chrome supports, double sided tape attachment to the worktop.
- Protects the worktop against cooking and water splashing.
- Glass removable for easy cleaning.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.

FINISH

transparent glass kit + support
satin glass kit + support
2 square support kit without glass

REF.

D1895
D1895S
D185



INTERIOR & EXTERIOR FITTINGS




KITCHEN ISLAND MAGNETIC GLASS SEPARATOR KIT

FINISH
glass kit + support 900

REF.
D1690

- Tempered transparent glass, thickness 6 mm.
- With 2 brushed stainless steel supports, attached under the worktop.
- Protects the worktop against cooking and water splashing.
- Glass held on the support by a magnet.
- Glass removable for easy cleaning.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.



INTERIOR & EXTERIOR FITTINGS



INTEGRATED
DOUBLE SIDED
TAPE
ATTACHMENT

KITCHEN ISLAND GLASS SEPARATOR 900 MM


FINISH

transparent glass kit
+ stainless steel support

REF.

D2190

- Tempered transparent glass, thickness 8 mm.
- With 2 stainless steel supports, double sided tape attachment to the worktop.
- Protects the worktop against cooking and water splashing.
- Glass removable for easy cleaning.



KITCHEN ISLAND SEPARATOR KIT WITHOUT DRILLING 900 MM

INTEGRATED
DOUBLE SIDED
TAPE
ATTACHMENT

FINISH

transparent glass kit
+ matte black supports


REF.

D1993

black glass kit
+ matte black supports

D1993N

- Tempered removable glass, transparent or black, 8 mm thickness.
- 2 removable metal supports with matte black finish.
- 2 metal mounts to be stuck or screwed in place with integrated double sided tape.
- Protects the worktop against splashing and is easy to clean.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.



PRESENTATION



92R-NM
p. 56



D258N
p. 62

TABLE LEGS



86R-BM
p. 64



D33-N
p. 75

TABLE LEGS



100 kg
Maximum
load

ORIGAMI STEEL LEG HEIGHT 720/870/900 MM

Sold only in sets of 2

Height 720 mm	REF.
FINISH matte black	91R-NM


Height 870 mm	REF.
FINISH matte black	92R-NM

Height 900 mm	REF.
FINISH matte black	93R-NM

- Matte black finish (RAL 9005).
- Screws provided.
- Adjustment pads (0 to 10mm).




Can be used as
table legs :
4 legs with
top maximum
dimensions
L. 160 x W.90
x Thk 30cm.



THINK OF THE ACCESSORIES, PAGE 9 AND 10

Attachment
brackets



Stiffeners



FOR INSTALLING WORKTOPS

TABLE LEGS



THINK OF THE ACCESSORIES,
PAGE 9 AND 10

Attachment brackets

Stiffeners

FOR INSTALLING WORKTOPS

150 kg
Maximum
load

STEEL “MONTANA” LEG HEIGHT 710/870/900 MM

Height 710 mm	
FINISH	REF.
matte black	D177N

Height 870 mm	
FINISH	REF.
matte black	D178N

Height 900 mm	
FINISH	REF.
matte black	D179N

- Matte black finish.
- Welded plate.
- Adjustment pads (0 to 10 mm).

Can be used as table legs:
2 legs with tabletop, dimensions
L 160 x W 90 x th.30.




TABLE LEGS



D160N



150 kg
Maximum
load

STEEL “H” SQUARE LEG HEIGHT 710/870/900 MM

Height 710 mm

FINISH	REF.
matte black	D150N
anthracite gray	D150G

Height 870 mm

FINISH	REF.
matte black	D160N
anthracite gray	D160G


Height 900 mm

FINISH	REF.
matte black	D165N
anthracite gray	D165G

- Square profile 50 x 50 mm.
- Welded plate.
- 750 mm footprint.
- Matte black finish (RAL 9005) or anthracite gray (RAL 7016).
- Adjustment pads (0 to 10 mm).
- Screws supplied.


Can be used as table legs:
2 legs with tabletop, dimensions
L 160 x W 90 x th.30.

Possibility of making a table



THINK OF THE ACCESSORIES, PAGE 9 AND 10

Attachment
brackets



Stiffeners



FOR INSTALLING WORKTOPS




TABLE LEGS

D180N



150 kg
Maximum
load

STEEL "H" ROUND LEG HEIGHT 720/870 MM

Height 720 mm

FINISH
matte black

REF.
D170N


Height 870 mm

FINISH
matte black

REF.
D180N

- Matte black finish.
- 50 mm diameter.
- Welded plate.
- Adjustment pads (0 to 10 mm).

Can be used as table legs:
2 legs with tabletop, dimensions
L 160 x W 90 x th.30.




Possibility of making a table

matte black

THINK OF THE ACCESSORIES,
PAGE 9 AND 10

Attachment
brackets



Stiffeners



FOR INSTALLING WORKTOPS

TABLE LEGS



150 kg
Maximum
load

STEEL 50 X 50 "X" LEG HEIGHT 720/870/900 MM

Height 720 mm

FINISH	REF.
matte white	D227B
matte black	D227N

Height 870 mm

FINISH	REF.
matte white	D228B
matte black	D228N
matte taupe	D228T

Height 900 mm

FINISH	REF.
matte white	D229B
matte black	D229N

- Square 50 x 50 mm profile.
- Matte white finish (RAL 9003), matte black finish (RAL 9005) or matte taupe (RAL 7006).
- 520 mm or 750 mm welded plate.
- Adjustment pads (0 to 10 mm).
- Screws supplied.

Can be used as table legs:
2 legs with tabletop, dimensions
L 160 x W 90 x th.40.





TABLE LEGS



150 kg
Maximum
load

Incompatible
with
individual
table

STEEL AERIAL LEG HEIGHT 710/870/ 890/900 MM

Height 710 mm

FINISH	REF.
matte black	D207N
anthracite gray	D207G

Height 870 mm

FINISH	REF.
matte black	D208N
anthracite gray	D208G


Height 890 mm

FINISH	REF.
matte black	D206N

Height 900 mm


FINISH	REF.
matte black	D209N
anthracite gray	D209G

- Square 50 x 50 mm profile.
- Welded plate and offset.
- Fixing plate width : 700 mm
- Total leg width : 900 mm
- Matte black finish (RAL 9005) or anthracite gray (RAL 7016).
- Adjustment pad (0 to 10 mm).
- Screws supplied.



THINK OF THE ACCESSORIES, PAGE 9 AND 10

Attachment
brackets



Stiffeners



FOR INSTALLING WORKTOPS

TABLE LEGS



100 kg
Maximum
load

STEEL "ALASKA" LEG HEIGHT 720/870 MM

Height 720 mm

FINISH
matte black

REF.
D257N



Height 870 mm

FINISH
matte black

REF.
D258N


- Matte black finish.
- Welded plate.
- Adjustment pad (0 to 10 mm).

Can be used as table legs:
2 legs with tabletop, dimensions
L 160 x W 90 x th.30.



**THINK OF THE ACCESSORIES,
PAGE 9 AND 10**

Attachment
brackets



Stiffeners



FOR INSTALLING WORKTOPS

TABLE LEGS



D237T

msa
Concept

150 kg
Maximum
load

TAPERED STEEL LEGS HEIGHT 715/870 MM

Height 715 mm

FINISH
matte black
matte taupe

REF.
D237N
D237T



Height 870 mm

FINISH
matte black
matte taupe

REF.
D238N
D238T

- Matte black and taupe finish.
- Welded plate.
- Screws supplied.
- Adjustment pad (0 to 10 mm).


Can be used as table legs:
2 legs with tabletop, dimensions L
160 x W 90 x th.30.



D238N

THINK OF THE ACCESSORIES,
PAGE 9 AND 10

Attachment
brackets



Stiffeners



FOR INSTALLING WORKTOPS

TABLE LEGS



msa
Concept

150 kg
Maximum
load

STEEL "STRONG" LEG HEIGHT 710/870/890/900 MM

Sold by 2 pieces only

Height 710 mm

FINISH	REF.
matte black	81R-2-NM
matte white	81R-2-BM
matte black with laser cutting	85R-2-NM
matte white with laser cutting	85R-2-BM
brushed stainless steel with laser cutting	85R-2-IB

Height 870 mm

FINISH	REF.
matte black	82R-2-NM
matte white	82R-2-BM
matte black with laser cutting	86R-2-NM
matte white with laser cutting	86R-2-BM
brushed stainless steel with laser cutting	86R-2-IB


Height 890 mm

FINISH	REF.
matte black	83R-2-NM
matte black with laser cutting	87R-2-NM

Height 900 mm

FINISH	REF.
matte black	84R-2-NM
matte black with laser cutting	88R-2-NM

- Matte black finish (RAL 9005) or matte white (RAL 9016).
- Screws supplied.
- Flush mounting possible.
- Adjustment pad (0 to 10 mm).



Can be used as table legs.

TABLE LEGS



12R-N

msa
Concept

150 kg
Maximum
load

Profile
dimensions
50 x 50

SQUARE STEEL LEG 50 X 50 MM

Height 710 mm

FINISH	REF.
chrome	10R-CH
brushed stainless steel	10R-IB
raw steel*	10R-AB
matte black *	10R-N
matte white	10R-B

Height 870 mm

chrome	12R-CH
brushed stainless steel	12R-IB
raw steel*	12R-AB
matte black *	12R-N
matte white	12R-B

Height 890 mm

brushed stainless steel	11R-IB
matte black *	11R-N

Height 900 mm

chrome	13R-CH
brushed stainless steel	13R-IB
raw steel*	13R-AB
matte black *	13R-N

Height 920 mm

chrome	14R-CH
brushed stainless steel	14R-IB
raw steel*	14R-AB
matte black *	14R-N



12R-B

* Chrome, brushed stainless steel, raw steel, matte black (RAL 9005) or matte white (RAL 9010) finish.

SQUARE STAINLESS STEEL LEG




Sold individually

**Stainless steel Aisi 304
brushed stainless steel finish**

HEIGHT	REF.
710	18R-IB
870	20R-IB
900	21R-IB
920	22R-IB

- 50 x 50 mm profile size.
- Fixed directly under the worktop.
- Steel plate.
- Screws supplied.
- Adjustment pads (0 to 10 mm).



RAW STEEL

TABLE LEGS



44R-IB

150 kg
Maximum
load

SQUARE STEEL LEG 60 X 60 MM

Sold only by 4 pieces

Height 710 mm

FINISH

chrome
brushed stainless steel

REF.

44R-CHROME
44R-IB

- Profile size 60 x 60 mm.
- Fixed directly under the worktop.
- Steel plate.
- Screws supplied.
- Plastic pad not adjustable.

FIXING PLATE FOR GLASS WORKTOP


For 60 x 60 mm legs ref. 43R and 44R

FINISH

chrome

REF.

D8006



Gluing by ultraviolet to be done by a professional.
Fixing part for 60 x 60 mm leg by gluing the plate under the glass or marble worktop.



43R-NOIR



150 kg
Maximum
load

Sold individually

Height 700 mm

FINISH

chrome
brushed stainless steel
matte black *
raw steel *
matte taupe *
matte white

REF.

43R-CHROME
43R-INOX-BROSSE
43R-NOIR
43R-AB
43R-TAUPE
43R-BLANC

- * Black plate for raw steel, matte black and matte taupe finish.
- Profile size 60 x 60 mm
- Fixed directly under the worktop.
- Aluminum plate.
- Screws supplied.
- Chrome, brushed stainless steel, matte black (RAL 9005), matte white (RAL 9010) or matte taupe (RAL 7006) finish.
- Adjustment pads (0 to 10 mm).

FIXING PLATE FOR FLUSH INSTALLATION


For 60 x 60 mm legs ref. 43R and 44R

FINISH

brushed stainless steel
matte black

REF.

D8016
D8018



Aluminum plate fixing to allow a flush installation between the leg and the table.

TABLE LEGS

56R-AB/ 53R-AB/ 54R-AB

RAW STEEL

150 kg
Maximum
load

SQUARE STEEL LEG 60 X 60 MM

Sold individually

Height 820 mm

FINISH

brushed stainless steel
matte black

REF.

55R-INOX-BROSSE
55R-NOIR

Height 860 mm

chrome
brushed stainless steel
matte black

52R-CH
52R-IB
52R-NOIR

Height 870 mm

chrome
brushed stainless steel
matte black
raw steel
matte taupe
matte white

56R-CHROME
56R-INOX-BROSSE
56R-NOIR
56R-AB
56R-TAUPE
56R-BLANC

Height 890 mm

brushed stainless steel
matte black
matte white

51R-IB
51R-N
51R-BLANC

Height 900 mm

chrome
brushed stainless steel
matte black
raw steel

53R-CH
53R-IB
53R-NOIR
53R-AB

Height 920 mm

brushed stainless steel
matte black
raw steel

54R-IB
54R-NOIR
54R-AB

Height 1100 mm

brushed stainless steel
matte black

57R-INOX-BROSSE
57R-NOIR

- Possibility of flush mounting using plate D8016 or D8018 (leg: 60 x 60 mm).
- Adjustment pad (0 to 10 mm).

ATTACHMENT PLATE

For glass worktop (see design p.62)

FINISH

chrome for leg 60x60
chrome for leg 80x80

REF.

D8006
D8007

For flush mounting (see design p.62 and p.65)

FINISH

brushed stainless steel 60 x 60
brushed stainless steel 80 x 80
black for leg 60 x 60
black for leg 80 x 80

REF.

D8016
D8017
D8018
D8019

- Gluing by ultraviolet to be done by a professional.
- Fixing part for 60 x 60 mm and 80 x 80 mm leg by gluing the plate under the glass or marble worktop.




TABLE LEGS



150 kg
Maximum
load

SQUARE STEEL LEG 60 X 60 MM

Sold individually

- Aluminium plate.
- Screws supplied.
- Adjustment pad (0 to 10 mm).

Height 700 mm	
FINISH	REF.
brushed stainless steel	70R-IB
Height 860 mm	
brushed stainless steel	73R-IB
Height 870 mm	
brushed stainless steel	71R-IB
Height 900 mm	
brushed stainless steel	72R-IB

TABLE LEGS



59R-AB



150 kg
Maximum
load

Profile
dimensions
80 x 80

SQUARE STEEL LEG 80 X 80 MM

Sold individually

Height 820 mm	
FINISH brushed stainless steel	REF. 58R-IB
Height 860 mm	
FINISH brushed stainless steel matte black *	REF. 62R-IB 62R-NOIR
Height 870 mm	
FINISH brushed stainless steel matte black * raw steel *	REF. 59R-IB 59R-NOIR 59R-AB
Height 900 mm	
FINISH brushed stainless steel matte black * raw steel *	REF. 63R-IB 63R-NOIR 63R-AB
Height 920 mm	
FINISH chrome brushed stainless steel matte black * raw steel *	REF. 61R-CH 61R-IB 61R-NOIR 61R-AB
Height 1100 mm	
FINISH chrome brushed stainless steel	REF. 60R-CH 60R-IB

* Black plate for raw steel, matte black leg finish.

- Chrome, brushed stainless steel, matte black (RAL 9005) or raw steel finish.
- Adjustment pad (0 to 10 mm).



61R-CH



59R-AB

FIXING PLATE FOR FLUSH INSTALLATION

WHILE
STOCKS
LAST

FINISH chrome (80 x 80) matte black (80 x 80)	REF. D8017 D8019
--	---

Aluminum plate fixing to allow a flush installation between the leg and the table.




TABLE LEGS

26R-INOX-BROSSE



150 kg
Maximum
load

Profile
dimensions
Ø60

STEEL LEG Ø 60 MM

Sold by 4 pieces

Height 710 mm

FINISH

white
matte black
chrome
brushed stainless steel
grained aluminum
graphite

REF.

25R-BLANC
25R-NOIR
25R-CHROME
25R-INOX-BROSS
25R-ALU-GAUFRE
25R-GRAPHITE

Sold individually

Height 710 mm

FINISH

white
matte black
chrome
brushed stainless steel
grained aluminum
graphite

REF.

26R-BLANC
26R-NOIR
26R-CHROME
26R-INOX-BROSS
26R-ALU-GAUFRE
26R-GRAPHITE


- Attached directly under the tabletop.
- Aluminium plate.
- Adjustment pad (0 to 20 mm).
- Screws supplied.

25R-NOIR



THINK OF THE ACCESSORIES, PAGE 9 AND 10

Attachment
brackets




Stiffeners



FOR INSTALLING WORKTOPS

TABLE LEGS



37R-NOIR



150 kg
Maximum
load

Profile
dimensions
Ø60

ROUND STEEL LEG Ø 60 MM

Sold individually

Height 820 mm

FINISH

chrome
brushed stainless steel
grained aluminum

REF.

45R-CH
45R-INOX-BROSS
45R-ALU-GAUFRE

Height 870 mm

FINISH

chrome
brushed stainless steel
grained aluminum
matte black

REF.

46R-CH
46R-INOX-BROSS
46R-ALU-GAUFRE
46R-NOIR

Height 890 mm

FINISH

brushed stainless steel
matte black

REF.

48R-IB
48R-N

Height 1100 mm

FINISH

chrome
brushed stainless steel
grained aluminum
matte black

REF.

47R-CH
47R-INOX-BROSS
47R-ALU-GAUFRE
47R-NOIR



46R-ALU-GAUFRE

- Fixed directly under the worktop.
- Aluminum plate.
- Adjustment pad (0 to 20 mm).
- Screws supplied.

FIXING PLATE FOR GLASS WORKTOP

FINISH

chrome Ø 65 mm

REF.

D8008-1

Gluing by ultraviolet to be done by a professional.



D8008-1




TABLE LEGS



28R-IB



150 kg Maximum load	Profile dimensions Ø 60	Incompatible with individual table
---------------------------	-------------------------------	--

ROUND STAINLESS STEEL LEG Ø 60 MM




Sold individually

Height 710 mm	
FINISH brushed stainless steel	REF. 27R-IB
Height 870 mm	
FINISH brushed stainless steel	REF. 28R-IB
Height 900 mm	
FINISH brushed stainless steel	REF. 29R-IB

- Aluminium plate.
- Adjustment pad (0 to 20 mm).
- Screws supplied.

THINK OF THE ACCESSORIES, PAGE 9 AND 10

Attachment
brackets




Stiffeners



FOR INSTALLING WORKTOPS

D8008-1



FIXING PLATE FOR GLASS WORKTOP

FINISH chrome Ø 65 mm	REF. D8008-1
--------------------------	-----------------

Gluing by ultraviolet to be done by a professional.

D35N



**THINK OF THE
ACCESSORIES,
PAGE 9 AND 10**


Attachment
brackets



Stiffeners



**FOR INSTALLING
WORKTOPS**



100 kg
Maximum
load

Profile
dimensions
80 x 80

Incompatible
with individual
table

For wood worktop

Height adjustable from 820 to 1100 mm

FINISH

brushed stainless steel
black/stainless steel
matte black

REF.

**D35IB
D35NI
D35N**

TELESCOPIC STEEL LEG TILTED AT 70° 80 X 80 MM

- Attachment plate: 180 x 180 mm.
- Plate attached with screws.
- Brushed stainless steel, chrome or matte black finish (lower part).




TABLE LEGS



G60N

msa
Concept

100 kg
Maximum
load

Incompatible
with
individual
table


TELESCOPIC STEEL LEG Ø 60 MM

Sold individually

Height adjustable from 820 to 900 mm

FINISH	REF.
brushed stainless steel	G60IB
matte black	G60N

- Fixed directly under the worktop.
- Can be adjusted perfectly after tabletop installation by set-screw (screw cover included).
- Screws not supplied.



G-80-N

msa
Concept

TELESCOPIC STEEL LEG Ø 80 MM AND 120 MM

Sold individually

Adjustable height from 680 to 900 mm

FINISH	REF.
chrome	G-80-C
brushed stainless steel	G-80-IB
black/stainless steel	G-80-NI
matte black	G-80-N

Adjustable height from 900 to 1100 mm

FINISH	REF.
chrome	GH-80-C
brushed stainless steel	GH-80-IB
black/stainless steel	GH-80-NI
matte black	GH-80-N

Adjustable height from 680 to 870 mm

FINISH	REF.
brushed stainless steel	G-120-IB
matte black	G-120-N

Adjustable height from 900 to 1100 mm

FINISH	REF.
brushed stainless steel	GH-120-IB
matte black	GH-120-N

- Fixed directly under the worktop.
- Screws supplied.





TABLE LEGS



100 kg Maximum load	Profile dimensions 80 x 80	Incompatible with individual table
---------------------------	----------------------------------	--

TELESCOPIC STEEL LEG 80 X 80 MM

Sold individually

Height adjustable from 820 to 1100 mm

FINISH	REF.
brushed stainless steel	D33-IB
black/stainless steel	D33-NI
matte black	D33-N

- Attached directly under the tabletop.
- Adjustment pad (0 to 20 mm).
- Screws supplied.




TABLE LEGS



D32IB



D32-N

100 kg
Maximum
load

Incompatible
with
individual
table

TELESCOPIC STEEL LEG Ø 120 MM

Sold individually

Height adjustable from 700 to 920 mm


FINISH

brushed stainless steel
matte black

REF.

D32-IB
D32-NOIR

- Fixed under worktop by screws.
- Screws supplied.



brushed
stainless steel
matte black

GOOD TO KNOW! LET'S TALK ABOUT LEGS

MAKE A MEAL COUNTER WITH LEGS

All our legs can be used to make a meal counter with a worktop.



MAKE A TABLE USING "SNACK" LEGS

With "POINTE" or "STRONG" legs you can make a 160 x 90 cm table, thickness 30 mm made of melamine, laminated or wood.

We recommend you attach the legs to the table using inserts in order to improve the assembly.



Rendered using 2020 Fusion


HINTS

Attach your worktops with our brackets (p. 12-14), then complete installation with our stiffener to prevent the worktop from sagging.



DETERMINING THE HEIGHT

Height of a table or snack-counter leg



LEG HEIGHT

- Adjustment pad set to minimum.
- Attachment plate included.

USUAL LEG HEIGHTS

Table: 700 to 730 mm.
Worktop: 800 to 920 mm.
Snack counter: 1000 mm and more.

MSA FRANCE - GENERAL TERMS AND CONDITIONS OF SALE

- 01 - The fact of placing an order with us means unconditional acceptance of these general terms and conditions of sale, which prevail over the buyer's own terms and conditions.
- 02 - Once we have accepted and confirmed them, the special orders can no longer be cancelled.
- 03 - The prices we quote are always exclusive of tax. VAT is invoiced at the rate that applies on the day of delivery.
- 04 - The prices we quote may be subject to modification owing to application, as stipulated in article R543-247 of Environmental Law, of a contribution to the cost of eliminating waste furniture elements (starting from 1st May 2013). MSA FRANCE is registered on the national register of furnishing element and electrical and electronic appliance sellers under the Unique Identifier FR001138_10ZNK8. This number guarantees that MSA FRANCE, by adhering to 'éco-mobilier et écosystème', complies with the regulatory obligations incumbent on it pursuant to article L.541-10-13 of Environmental Law.
- 05 - As the delivery lead-times that we accept or indicate are always purely indicative, no late delivery of an order may give rise to indemnification.
- 06 - Our prices are quoted ex-MSA, even in the case of carriage free deliveries. Our goods are always transported at the risk of the consignee. It is therefore the latter's responsibility in the case of late delivery, damage or loss, to make its claim itself against the shipper. This possible circumstance does not cancel, suspend or modify the obligation to pay the entire amount of the invoice on the agreed date.
- 07 - Any claim relative to our deliveries must be made by recorded delivery letter sent to our head office within 8 days following delivery. Returns of our goods will be refused without our prior written acceptance.
- 08 - All our products are guaranteed for 2 years. The guarantee is strictly limited to the repair or replacement (at our option) of the products presenting a defect making them improper for normal use. This guarantee also covers the cost of transporting our products to be repaired or replaced. The removal and re-installation expenses are excluded from the guarantee as are any other direct or indirect damages whatever the cause may be.
- 09 - It will only be possible to make a refund for an article after said article has been returned to our premises, return within one month following opening of the dossier otherwise the article will be invoiced. A credit note will only be drawn up after the return of the defective article to our premises and after confirmation of the manufacturing defects by our after-sales department. No other indemnity being owed for any cause whatsoever. In the case of return of products "said to be defective" and after examination by our technical department, a discount of 30% will be applied with respect to the original purchase value.
- 10 - In the case of an ordering error or of cancellation for any reason whatsoever, we accept to take back the goods concerned subject to the following reservations:
- The goods will be returned carriage paid by you, in perfect condition, in their original packing with, where applicable, all the spare parts, with any additional protections that may be required for the type of transport chosen.
 - A discount of 20% of the sale price excluding VAT will be applied, and this may be increased if the product is damaged during the return shipment.
- 11 - Our invoices are payable:
- Net 30 days after the end of the month of invoicing by direct Letter of Credit (not accepted), according to the information collected.
- 12 - All our invoices, whatever their means of settlement, are payable in Saint-Raphaël. Only payments made directly to us give valid discharge.
- 13 - Any sum not paid on the due date will give rise to payment by the customer of penalties fixed at three times the legal rate of interest. These penalties are due by rights. Pursuant to articles 441-6 c. com. and D. 441-5 c. com., any late payment leads by rights, besides the late-payment penalties, to an obligation for the debtor to pay an all-in indemnity of €40 as recovery costs.
- 14 - In the case of staggered deliveries, as in the case of a succession of orders, non-payment of any one of the invoices at its due date authorises MSA either to demand guarantees, or to suspend or cancel deliveries that have not yet been made, as it prefers, without prejudice to its right to demand compensation for the harm that it has thus suffered.
- 15 - The same rights as above are open to MSA in the case of any change whatsoever, whether legal or otherwise, in the person or situation of the buyer.
- 16 - In the case of staggered payments of any given invoice, failure to meet any one of the due dates makes all the following ones immediately payable and initiates the penalties of article 13 on the totality of the outstanding sum.
- 17 - In the case of dispute, the Commercial Court of FRÉJUS is alone competent, including in the case of summary proceedings, warranty proceedings or multiple defendants.
- 18 - Pursuant to Law No 80-335 of 12 May 1980, the goods delivered remain the property of MSA through to perfect payment of the price, including any penalties. This clause cancels any of the buyer's clauses to the contrary (Law No 85-98 of 25/01/1985, art. 121, modified by art. 19 of Law No 96-588 of 1st July 1996).
- 19 - MSA reserves the right to modify these general terms and conditions of sale should it have a legitimate reason to do so.



INSPIRATION

INSPIRATION





TECHNOPARC EPSILON 1
145 RUE ISAAC NEWTON CS 80541
83707 SAINT-RAPHAËL CEDEX
TEL : 04 94 19 89 70
EXPORT@MSAFRANCE.COM



SAS (SIMPLIFIED JOINT STOCK COMPANY) WITH CAPITAL OF €800,000
SIRET Company registration No. 420 399 180 00017
INTRACOMMUNITY VAT No FR 604 203 991 80