msa
FRANCE

CONCEPTION DE NOUVELLES
SOLUTIONS D'AGENCEMENT

CREATOR OF
NEW FIT-OUT SOLUTION

msa Concept

TECHNICAL SOLUTIONS
BRACKETS & STIFFENERS
INTERIOR & EXTERIOR FITTINGS
TABLE LEGS











EDITION 2026



MSA FRANCE

Since 1995, MSA France and its design teams have been creating **innovative solutions to enhance and transform your home.**

Each year, **new concepts** emerge from our research, our observations, and, above all, from the ideas and suggestions shared by our customers.

Over the years, all the concepts imagined and developed by MSA France have been brought together under **this distinctive logo**. We invite you to explore them and discover the creativity, expertise, and passion that define our universe.

Discover the MSA France universe.

msa Concept

Follow us and explore our world


1995



MSA FRANCE WAS CREATED

Acquisition by Christian Veron, settling in Saint-Raphaël.
The initial activity was trading lighting and fittings interiors.

2000



CREATION OF THE DESIGN AND R&D OFFICE

Our 2 designers and 2 engineers design innovative, smart products, functional and of high quality.

2004



INSTALLATION OF THE FIRST SHUTTLES

These storage robots make it possible to increase the storage area and improve the reliability of operations

M S A

2019



ERP

Implementation of a new Sage X3 ERP software to centralize all aour data and coordinate our services.

2022



TRADE FAIRS

First presence at SICAM, the international fair for components, accessories and semi-finished products for the furniture industry (Pordenone, Italy).

2025



TODAY AND TOMORROW: CELEBRATING 30 YEARS OF MSA FRANCE

In 2025, MSA France celebrated 30 years of expertise and commitment to the kitchen market. Over three decades, the company has built strong know-how and lasting relationships, while remaining true to its family-run roots and its base in Saint-Raphaël, France.
To mark this important milestone and gain a deeper insight into the company's expertise, our team members shared their experience and played an active role in contributing to the success and continued growth of this family business.

F R A N C E

CONTENTS









TECHNICAL SOLUTIONS	5-18
BRACKETS & STIFFENERS	19-30
INTERIOR & EXTERIOR FITTINGS	31-54
TABLE LEGS	55-76



D1070
p. 7



D2765N
p. 8



D2795
p. 10

TECHNICAL SOLUTIONS



D2614
p. 13



D2780B
p. 9



D3202
p. 15



D1015
p. 11

TECHNICAL SOLUTIONS






WORKTOP REINFORCEMENT FORZA

2 profile versions

FINISH	REF.
galvanized steel (furniture of 1200 mm)	**D1040**
galvanized steel (furniture of 1000 mm)	**D1041**
galvanized steel (furniture of 900 mm)	**D1042**
galvanized steel (furniture of 800 mm)	**D1043**

The version to avoid the bending of the worktop when the appliances are pending: washing machine, dish washer...

- The kit consists of 2 adjustable profiles of 20 mm and 4 adjustable end tips.
- Installation and adjustment before positioning the worktop.
- The 2 profiles are equipped with glued foam joints to ensure proper fit and to avoid vibrations.
- The kit exists in 4 furniture lengths: 800/900/1000/1200 mm, 16 to 19 mm thickness.
- Only one finish: galvanized steel.
- Concept patented.



APPROVED

Tested and certified by the Research and Development department of COSENTINO silestone 12 and 20 mm.


WORKTOP REINFORCEMENT FORZA

2 profile and 2 cross-piece versions

FINISH	REF.
galvanized steel (furniture of 1200 mm)	**D1050**
galvanized steel (furniture of 1000 mm)	**D1051**
galvanized steel (furniture of 900 mm)	**D1052**
galvanized steel (furniture of 800 mm)	**D1053**

The version for installation in furniture with a sink or a hob: a cut-out in the worktop.

- The kit consists of 2 adjustable profiles of 20 mm, 2 adjustable cross-pieces of 20 mm and 4 adjustable end tips.
- Installation and adjustment before positioning the worktop.
- With glued foam joints to ensure proper fit and to avoid vibrations.
- The 2 adjustable cross-pieces can be positioned depending on the cut-out: every 100 mm.
- The kit exists in 4 furniture lengths: 800/900/1000/1200 mm, 16 to 19 mm thickness.
- Only one finish: galvanized steel.
- Concept patented.



Ⓓ PATENTED
since 2022






WORKTOP REINFORCEMENT FORZA+ REINFORCED

2 profile versions

FINISH	REF.
galvanized steel (furniture of 1200 mm)	**D1060**
galvanized steel (furniture of 900 mm)	**D1062**

The version to avoid the bending of the worktop when the appliances are pending: washing machine, dish washer...

- The kit consists of 2 adjustable profiles of 30x20 mm and 4 adjustable end tips.
- Installation and adjustment before positioning the worktop.
- The 2 profiles are equipped with glued foam joints to ensure proper fit and to avoid vibrations.
- The kit exists in 2 furniture lengths: 900/1200 mm, 16 to 19 mm thickness.
- Only one finish: galvanized steel.
- Concept patented.




WORKTOP REINFORCEMENT FORZA+ REINFORCED

2 profile and 2 cross-piece versions

FINISH	REF.
galvanized steel (furniture of 1200 mm)	**D1070**
galvanized steel (furniture of 900 mm)	**D1072**

The version for installation in furniture with a sink or a hob: a cut-out in the worktop.

- The kit consists of 2 adjustable profiles of 30x20 mm, 2 adjustable cross-pieces of 20x20 mm and 4 adjustable end tips.
- Installation and adjustment before positioning the worktop.
- With glued foam joints to ensure proper fit and to avoid vibrations.
- The 2 adjustable cross-pieces can be positioned depending on the cut-out: every 100 mm.
- The kit exists in 2 furniture lengths: 900/1200 mm, 16 to 19 mm thickness.
- Only one finish: galvanized steel.
- Concept patented.



APPROVED

Tested and certified by the Research and Development department of COSENTINO DEKTON 20 mm silestone 12 and 20 mm.

PATENTED since 2022

TECHNICAL SOLUTIONS



REINFORCEMENT FOR CANTILEVERED WORKTOP "PLAK"


Depth 250 mm, width 450 mm

FINISH	REF.
stainless steel	**D2760**
matte black	**D2760N**
matte white	**D2760B**


Depth 250 mm, width 950 mm

FINISH	REF.
stainless steel	**D2770**
matte black	**D2770N**
matte white	**D2770B**

- Extended overhang: 250 mm beyond the recommendations of worktop manufacturers.
- Specifically designed support for securing cantilevered worktops or dining corners, while also allowing comfortable knee clearance.
- Made of AISI 304 stainless steel with satin finish, or painted steel in matte black (RAL 9005) or matte white (RAL 9016).
- Mounting via screws for laminated worktops starting from 21 mm thickness, or via adhesive (the painted steel version includes dedicated areas optimized for bonding).
- **To be used only for compact or laminate worktops.**




Installation suggestions



● D2760



■ D2770



▲ D2765

PLAK

Stool

Dining corner


Worktop
(compact or laminate)



Depth 450 mm, width 450 mm

FINISH	REF.
stainless steel	**D2765**
matte black	**D2765N**
matte white	**D2765B**

- Extended overhang: 450 mm beyond the recommendations of worktop manufacturers.



Ⓓ REGISTERED DESIGN
since 2023





CORNER WORKTOP REINFORCEMENT **PLAK-A**


Depth 184 mm


FINISH	REF.
stainless steel	**D2780IB**
matte white	**D2780B**
matte black	**D2780N**

Depth 414 mm


FINISH	REF.
stainless steel	**D2790IB**
matte white	**D2790B**
matte black	**D2790N**

- Specifically designed to reinforce corner worktops and floating overhangs, ensuring maximum stability even for the most demanding kitchen layouts.
- Available in two versions:
  Short version: ideal for small corner overhangs.
  Long version: designed for larger overhangs or to complement other support systems such as PLAK or STRONG.
- Made of AISI 304 stainless steel with satin finish, or painted steel in matte black (RAL 9005) or matte white (RAL 9016).
- Mounting via screws for laminated worktops starting from 21 mm thickness, or via adhesive (the painted steel version includes dedicated areas optimized for bonding).
- **To be used only for compact or laminate worktops.**





Installation suggestions



● D2780 ■ D2790

PLAK

PLAK-A

Dining corner

Worktop
(compact or laminate)

TECHNICAL SOLUTIONS




100 kg Maximum load

SET OF 2 "FIXPAK" BRACKETS

FINISH	REF.
galvanized steel	**D2795**

- System of brackets (right + left) in galvanized steel specially designed to support the washbasin or furniture.
- Maximum load 100 kg (for 2 brackets).
- Depth of top: 60 cm.
- Screws not supplied.






50 kg Maximum load

SET OF 2 "FIXPAK" BRACKETS

FINISH	REF.
galvanized steel	**D2785**

- System of brackets (right + left) in galvanized steel specially designed for supporting shelves.
- Maximum load 50 kg (for 2 brackets).
- Shelf depth: 40 cm.
- Screws not supplied.




Ⓓ PATENTED
since 2023





Leg and brackets sold separately



WORKTOP STIFFENER

Length 800 mm

FINISH	REF.
zinc-plated steel	D1015
matte black	D1016
matte white	D1016B

Length 1124 mm

FINISH	REF.
zinc-plated steel	D1017
matte black	D1019
matte white	D1019B

Length 1448 mm


FINISH	REF.
zinc-plated steel	D1025
matte black	D1026
matte white	D1026B

Length 1772 mm

FINISH	REF.
zinc-plated steel	D1027
matte black	D1029
matte white	D1029B

- Prevents the worktop from sagging.
- Space for 38 mm diameter cables.
- One side is designed to be installed between the worktop and the flank of the unit.
- To be installed along the length of the worktop, to be attached with screws (countersunk holes) or by glue.
- Made of steel, thickness: 2 mm.

TECHNICAL SOLUTIONS



150 kg
Maximum load

INSTALLATION

STEEL ATTACHMENT BRACKET THICKNESS 3 MM

Length 270 mm

FINISH	REF.
zinc-plated steel	D2714
aluminium	D2713
white	D2718
black	D2719

Length 540 mm


FINISH	REF.
zinc-plated steel	D2715
aluminium	D2712
white	D2716
black	D2717


Length 740 mm

FINISH	REF.
zinc-plated steel	D2725
aluminium	D2722
white	D2726
black	D2727



3 mm pre-drilled profile, specially designed to securely attach worktops to either a wall or the edge of a unit. The 5 mm elongated holes allow for easy height adjustment.









100 kg
Maximum load

"ECO" MOUNTING BRACKET

Length 270 mm

FINISH	REF.
galvanized steel	**D2614**


Length 540 mm

FINISH	REF.
galvanized steel	**D2615**

Length 740 mm

FINISH	REF.
galvanized steel	**D2625**

1.5 mm thick steel profile, pre-drilled for easy installation and specially designed to securely fix worktops to a wall or along the edge of a unit.



TECHNICAL SOLUTIONS



150 kg Maximum load

INVISIBLE ATTACHMENT BRACKET 9 MM : MADE OF 2 MM STEEL

Length 270 mm

FINISH	REF.
zinc-plated steel	D2707
black	D2740


Length 540 mm

FINISH	REF.
zinc-plated steel	D2708
black	D2741

Length 740 mm

FINISH	REF.
zinc-plated steel	D2709
black	D2742

Screws not supplied.





150 kg Maximum load

INSTALLATION

INVISIBLE ATTACHMENT BRACKET 24 MM : MADE OF 2 MM STEEL

Length 270 mm

FINISH	REF.
zinc-plated steel	D2704
black	D2750


Length 540 mm


FINISH	REF.
zinc-plated steel	D2705
black	D2751

Length 740 mm

FINISH	REF.
zinc-plated steel	D2706
black	D2752

Screws not supplied.







200 kg
Maximum load

WORKTOP AND SNACK BRACKET "STRONG"


Depth 195 mm / sold individually

FINISH	REF.
stainless steel	D3201
matte white	D3202
matte black	D3203
stainless steel laser cut	D3221
matte black laser cut	D3223

- Bracket specially designed for fixing worktops, dining areas, shelves etc.
- Stainless steel profile (stainless steel screw) or matte black lacquered steel RAL 9005 (black screws), or matte white RAL 9016 (screws with white screw covers).
- Sleek design, 2.5 mm profile thickness.
- Shelf depth: 30 cm max.








Depth 360 mm / sold individually




FINISH	REF.
stainless steel	D3211
matte white	D3212
matte black	D3213
stainless steel laser cut	D3225
matte black laser cut	D3227

- Shelf depth: 50 cm max.







TECHNICAL SOLUTIONS





200 kg
Maximum load


WORKTOP AND SNACK BRACKET "STRONG SLIM"


Depth 195 mm / sold individually


FINISH	REF.
brushed stainless steel	**D3271**
matte white	**D3272**
matte black	**D3273**

Depth 360 mm / sold individually

FINISH	REF.
brushed stainless steel	**D3275**
matte white	**D3276**
matte black	**D3277**







- Bracket specially designed for fixing worktops, shelves etc. and facilitate the room for your knees.
- Stainless steel profile (stainless steel screw) or matte black lacquered steel RAL 9005 (black screws), or matte white RAL 9016 (screws with white screw covers).
- Sleek design, 2.5 mm profile thickness.
- Shelf depth: 30 cm or 50 cm max.

Ⓓ REGISTERED DESIGN
since 2021






400 kg
Maximum load


WORKTOP AND SNACK BRACKET "STRONGER"


Depth 360 mm / sold individually

FINISH	REF.
stainless steel	**D3215**
matte black	**D3217**

- Bracket specially designed for fixing worktops, dining areas, shelves etc.
- Stainless steel profile (stainless steel screw) or matte black lacquered steel RAL 9005 (black screws)
- Sleek design, 2.5 mm profile thickness.
- Shelf depth: 50 cm max.







TECHNICAL SOLUTIONS






50 kg
Max. for
2 brackets


"MINI STRONG" SHELF SUPPORT BRACKET


Sold only as a set of 2

FINISH	REF.
brushed stainless steel	**D9251**
matte aluminium	**D9252**
matte black	**D9253**

- Used to support wood shelves.
- Shelf depth: 20 cm max.
- Distance between 2 brackets: 45 cm max.
- Steel: matte aluminium and matte black finishes.
- Stainless steel: brushed stainless steel finish.
- Screws supplied.









D9252

Ⓓ REGISTERED DESIGN
since 2017



D9775
p. 23



D2541
p. 30



D2411
p. 27

BRACKETS & STIFFENERS



D2444
p. 26



D9253
p. 24



D2511
p. 28

BRACKETS & STIFFENERS



15 kg
Maximum load

INSTALLATION


SHELF SUPPORT BRACKET FOR 18, 19, OR 20 MM THICK SHELVES

Sold individually

FINISH	REF.
anodized aluminium 600 mm	D3250
matte black 600 mm	D3253
anodized aluminium 900 mm	D3260
matte black 900 mm	D3263




- Used to support wood shelves 18, 19 or 20 mm.
- For shelves: depth: 20 cm max, length: 60 or 90 cm max.
- Screws and dowels supplied.





Profile height adjustment system with notches



Ⓓ PATENTED *since 2021*



15 kg Maximum load

INSTALLATION

BRACKET FOR GLASS SHELF 3, 4, 5 AND 6 MM

Sold individually

FINISH	REF.
anodized aluminium 600 mm	D3230
matte black 600 mm	D3233
anodized aluminium 900 mm	D3240
matte black 900 mm	D3243

- Used to support glass shelves 3, 4, 5 and 6 mm.
- For shelves: depth: 20 cm max, length: 60 or 90 cm max.
- Screws and dowels supplied.




15 kg Maximum load

BRACKET + BLACK GLASS SHELF PACK 6 MM

Sold individually

FINISH	REF.
anodized aluminium 600 mm	D3235
matte black 600 mm	D3238
anodized aluminium 900 mm	D3245
matte black 900 mm	D3248

- 1 bracket for glass shelf.
- 1 glass shelf, thickness 6mm, black: length: 60 or 90 cm, width 20 cm.
- Screws and dowels supplied.



Ⓓ PATENTED since 2021

BRACKETS & STIFFENERS

D9843
For shelves of 600 mm width
Shelf not supplied




Invisible fixing.
Exclusive design.
For shelf thickness 16, 19 or 25 mm

D9855



Shelf not supplied

D9852
Shelf width 600 - 900 mm max



Shelf not supplied

5 kg
Maximum load


SHELF BRACKET IZO


For shelves of 600 mm width: 2 supports

FINISH	REF.
aluminium 16 mm	D9842
matte black 16 mm	D9843
matte gold 16 mm	D9845
aluminium 19 mm	D9862
matte black 19 mm	D9863
matte gold 19 mm	D9865
aluminium 25 mm	D9882
matte black 25 mm	D9883

For shelves of 600 mm to 900 mm width:
2 supports + central piece

FINISH	REF.
aluminium 16 mm	D9852
matte black 16 mm	D9853
matte gold 16 mm	D9855
aluminium 19 mm	D9872
matte black 19 mm	D9873
matte gold 19 mm	D9875
aluminium 25 mm	D9892
matte black 25 mm	D9893






- To fix wooden shelves of 16, 19 or 25 mm thickness.
- For shelves of 15 cm depth max, 90 cm width max.
- Screws provided.

Additional central support

FINISH	REF.
aluminium	D9797
matte black	D9796
matte white	D9798
matte gold	D9799

® REGISTERED DESIGN
since 2022

D9775



For shelves up to 250 mm deep
Maximum load 10 kg

D9776




10 kg
Maximum load

SHELF BRACKET IZO 2

**For shelves with 600 mm width max,
250 mm depth max. : 2 supports**

FINISH	REF.
matte black 16 mm	D9743
matte black 19 mm	D9763
matte white 19 mm	D9764
matte gold 19 mm	D9765
matte black 22 mm	D9766
matte black 25 mm	D9783



**For shelves with 600 to 900 mm width max,
250 mm depth max. : 2 supports + central support**

FINISH	REF.
matte black 16 mm	D9753
matte black 19 mm	D9773
matte white 19 mm	D9774
matte gold 19 mm	D9775
matte black 22 mm	D9776
matte black 25 mm	D9793

- For fixing wooden shelves 16, 19, 22 or 25 mm thick.
- Screws supplied.

Additional central support

FINISH	REF.
aluminium	D9797
matte black	D9796
matte white	D9798
matte gold	D9799

® REGISTERED DESIGN
since 2022

BRACKETS & STIFFENERS






50 kg
Max. for
2 brackets


"MINI STRONG" SHELF SUPPORT BRACKET


Sold only as a set of 2

FINISH	REF.
brushed stainless steel	**D9251**
matte aluminium	**D9252**
matte black	**D9253**

- Used to support wood shelves.
- Shelf depth: 20 cm max.
- Distance between 2 brackets: 45 cm max.
- Steel: matte aluminium and matte black finishes.
- Stainless steel: brushed stainless steel finish.
- Screws supplied.









D9252

Ⓓ REGISTERED DESIGN
since 2017




90 kg
Maximum load


SNACK BRACKET 2 POSITIONS

Sold individually

FINISH	REF.
brushed aluminium	**D2504**

- Two attachment possibilities:
  1) to the worktop:
  the shelf is above the snack counter.
  2) to the edge of the unit: shelf offset in front of the unit.
- Upper plate dimensions:
  140 x 50 mm.
- Threaded rod Ø:
  5 mm - Max. worktop thickness: 40 mm.





BRACKETS & STIFFENERS



120 kg
Maximum
load

"TECNICO" WALL BRACKET

Sold individually


FINISH	REF.
aluminium	**D2443**
matte black	**D2441**
matte white	**D2444**

– Attachment to the wall.
– Special heavy-duty shelf.
– Max. shelf depth: 400 mm.



D2443





D2411




90 kg
Maximum load

SHELF SUPPORT "VELA"

Sold individually

FINISH	REF.
matte black	**D2411**
aluminium	**D2413**
brushed aluminium	**D2414**

– Attachment to the wall.
– Oval aluminium profile specially designed to facilitate cleaning.



D2413



D2414



BRACKETS & STIFFENERS

D2511




D2513



D2514





90 kg
Maximum load

TILTED SNACK COUNTER BRACKET "VELA"

Height 200 mm / sold individually

FINISH	REF.
matte black	**D2511**
aluminium	**D2513**
brushed aluminium	**D2514**

- Attached to the worktop.
- Oval aluminium profile specially designed to facilitate cleaning.



Ø15mm

90 kg Maximum load


"QUADRATO" STRAIGHT BRACKET

Height 108 mm / sold individually

FINISH	REF.
brushed stainless steel	D2421
aluminium	D2423

Height 208 mm / sold individually

FINISH	REF.
brushed stainless steel	D2481
aluminium	D2483



- Attached to the worktop.
- Square profile 40 x 40 mm.
- Upper and lower plate size: 47 x 47 mm.



90 kg Maximum load


"QUADRATO" TILTED BRACKET

Height 108 mm / sold individually

FINISH	REF.
brushed stainless steel	D2431
aluminium	D2433

Height 208 mm / sold individually

FINISH	REF.
brushed stainless steel	D2491
aluminium	D2493




- Attached to the worktop.
- Square profile 40 x 40 mm.

To glue a glass worktop: use a plate below.

"QUADRATO" FIXING PLATE FOR GLASS

For straight Quadrato bracket


FINISH	REF.
brushed stainless steel	D2461
aluminium	D2463



- Fixing part by gluing the plate under the glass worktop.
- Gluing by ultraviolet to be done by a professional.

For tilted Quadrato bracket

FINISH	REF.
brushed stainless steel	D2471
aluminium	D2473



- Fixing part by gluing the plate under the glass worktop.
- Gluing by ultraviolet to be done by a professional.

BRACKETS & STIFFENERS



Ø15mm

90 kg
Maximum load


STRAIGHT ROUND SNACK BRACKET

Sold individually

FINISH	REF.
stainless steel (shiny)	**D2541**
aluminium	**D2542**

- Ø40 mm hollow cuttable tube.
- To fix glass shelves for 7 to 40 mm thickness wood.

To glue a glass worktop: use a plate below.






FIXING PLATE FOR GLASS

For Straight Round snack bracket ref. D2541 and D2542

FINISH	REF.
stainless steel (shiny)	**D2561**
aluminium	**D2562**

- Fixing part by gluing the plate under the glass worktop.
- Gluing by ultraviolet to be done by a professional.




D1455
p. 43


C413
p. 35


C66
p. 33

INTERIOR & EXTERIOR FITTINGS


C753
p. 38


D2080
p. 42


D2027
p. 40


D1550
p. 44





MULTY UNDER-SINK ORGANISER


5 kg Maximum load


PRESENTATION


FINISH	REF.
orion grey	C60
matte black	C63

- Used to store bin bags, sprays and miscellaneous household items.
- With stops to hold the sprays.
- Can be installed to the left or right of the siphon.
- Lacquered metal, screws supplied.











Under-sink unit front view




Under-sink unit side view









BIRD
UNDER-SINK ORGANISER

8 kg
Maximum load

PRESENTATION


FINISH	REF.
orion grey	**C65**
matte black	**C66**

- Used to store bottles leaving the bottom of the unit free.
- Maximum capacity: 8 bottles / 8 kg.
- Can be installed to the left or right of the siphon.
- Lacquered metal.
- Attached to the flank of the unit; screws provided.



INTERIOR & EXTERIOR FITTINGS





LID RACK

PRESENTATION


Length 510 mm

FINISH	REF.
orion grey	C520
white	C522
matte black	C523


Length 790 mm

FINISH	REF.
orion grey	C530
white	C532
matte black	C533

- Steel bar to be installed in a drawer, specially designed for storing saucepan lids.
- Simple attachment with screws (not provided).







"ELASTICO" LID RACK


Length 510 mm

FINISH	REF.
matte black	C583

Length 790 mm

FINISH	REF.
matte black	C593

- Steel bar to be attached to the back of the face with screws, the position of the elastic is modular.
- The elastic allows you to store utensils: saucepan handles, tupperware lids, etc.
- Supplied with the attachment screws and a spare elastic.









"ECO" LID RACK


Length 510 mm


FINISH	REF.
black	**C413**

Length 790 mm

FINISH	REF.
black	**C423**


- Steel bar for mounting in a drawer or against a door for storing lids.
- Simple screw fixing (not supplied).











LID RACK DOUBLE VERSION

PRESENTATION


Length 510 mm

FINISH	REF.
orion gray	**C550**
white	**C552**
matte black	**C553**

Length 790 mm

FINISH	REF.
orion gray	**C560**
white	**C562**
matte black	**C563**

Kit of 2 lid racks length 510 or 790 mm fixed together by 2 adapters (black for orion gray and black finishes, galvanized steel for white finish).





MAGNETIC SILICONE DISHCLOTH HOLDER


Sold in sets of two only

FINISH	REF.
black/taupe	C500

PRESENTATION


- 2 kits each including:
  1 dia. 51 mm magnet
  2 dia. 31 mm silicone-coated magnets
  to hold the dishcloth in place.
- Used to hold a dishcloth on the door of a unit with a thickness of 20 mm max.
- Easy attachment by double sided tape or screw (Main magnet).

Functioning:
- Main magnet (Ø 51mm) to be installed in the unit and make it possible to hang up the dishcloth.




Pair of magnets to hold the dishcloth.





Main magnet to be installed inside the unit.



Drilling diameter: 35 mm, identical to the drilling diameter for a hinge


INTERIOR & EXTERIOR FITTINGS



DISHCLOTH RAIL

FINISH	REF.
matte white	**C752**
matte black	**C753**

- Steel dishcloth rail to be installed in a drawer or unit.
- Simple attachment with screws (provided).







SLIDING DISHCLOTH RAIL

FINISH	REF.
matte white	**C772**
matte black	**C773**

- Steel sliding dishcloth rail, to be mounted in a unit or on a flank.
- Simple attachment with screws and spacers (provided).








TOWEL RACK

FINISH	DIMENSIONS	REF.
2 arms chrome	310	**C701**
2 arms black/chrome	310	**C703**
2 arms chrome	400	**C711**
2 arms black/chrome	400	**C713**

- Made up of 2 arms in stainless steel that slide on a profile fitted with noise-cancelling inserts.
- Delivered with chrome screws and 3 or 6 o-rings allowing to hold the towels on the arms .





Suspended | Under upper unit


SINGLE GLASS RACK

Capacity 3 glasses

FINISH	REF.
chrome	**D2052**
grained aluminum	**D2054**
matte black	**D2059**

– Attached under worktop or unit.
– Screws not supplied.

Depth	275 mm
Thickness	35 mm
Width	106 mm
Gap for glasses	25 mm





Suspended | Under upper unit


TRIPLE GLASS RACK

Capacity 9 glasses

FINISH	REF.
chrome	**D2062**
grained aluminum	**D2064**
graphite	**D2065**
matte black	**D2069**

– Attached under worktop or unit.
– Screws not supplied.

Depth	275 mm
Thickness	35 mm
Width	305 mm
Gap for glasses	25 mm






Suspended | Under upper unit

SINGLE GLASS RACK SLIDE

Capacity 3 glasses

FINISH	REF.
brushed stainless steel	D2010
matte white	D2012
matte black	D2019
matte gold	D2015

– Attached under worktop or unit.
– Screws not supplied.






Suspended | Under upper unit

TRIPLE GLASS RACK SLIDE

Capacity 9 glasses

FINISH	REF.
brushed stainless steel	D2020
matte white	D2027
aluminium	D2024
matte black	D2029
matte gold	D2025

– Attached under worktop or unit.
– Screws not supplied.






Suspended

THICK GLASS RACK SLIDE

Capacity 6 thick glasses

FINISH	REF.
brushed stainless steel	D2022
black	D2023

– For mounting under worktops, furniture or shelves.
– Screws not supplied.



Ⓓ REGISTERED DESIGN
since 2018




Suspended | Under upper unit

THIN MULTI GLASS RACK SLIDE

FINISH	REF.
matte black 600 mm	**D2031**
matte black 900 mm	**D2039**

- Capacity: 6 glasses (length 600 mm) or 9 glasses (length 900 mm).
- Attachment under worktop, unit or shelf.
- Screws not supplied.





Suspended

THICK GLASS RACK SLIDE LOW DEPTH

Width 600mm, 5 thick glasses


FINISH	REF.
brushed stainless steel	**D2032**
matte black	**D2033**

Width 840mm, 7 thick glasses

FINISH	REF.
brushed stainless steel	**D2042**
matte black	**D2043**

- For mounting under worktops, furniture or shelves.
- Screws not supplied





INTERIOR & EXTERIOR FITTINGS






Under upper unit


"WING" MUG-HOLDER

Capacity 4 mugs

FINISH	REF.
matte black	**D2089**

– Steel with matte black finish.
– Attached under or in the upper unit with 2 screws (not supplied).








"SABRE" MUG-HOLDER


Capacity 4 mugs

FINISH	REF.
brushed stainless steel	**D2080**
matte black	**D2081**

– Brushed AISI 304 stainless steel or steel with matte black finish.
– Attached under or in the upper unit with 2 screws (not supplied).















Extra-thin cutting board in DEKTON. To install in a worktop or table. Stainless steel thickness: 1 mm

DEKTON® is a unique material easy to clean and maintain : high resistance to scratches, to heat and fire, and to stains (coffee, wine, bleach...)





BUILT-IN DEKTON CUTTING BOARD

Size 372 x 322 mm – Cut-out 356 x 306 mm

FINISH	REF.
stainless steel frame – Black Dekton "Sirius" *	**D1454**
black frame – Black Dekton "Sirius" *	**D1454N**
stainless steel frame – White Dekton "Mooné" *	**D1452**

Size 400 x 200 mm - Cut-out 382 x 182 mm

FINISH	REF.
stainless steel frame – Black Dekton "Sirius" *	**D1455**
black frame – Black Dekton "Sirius" *	**D1455N**

Size 472 x 372 mm – Cut-out 456 x 356 mm

FINISH	REF.
stainless steel frame – Black Dekton "Sirius" *	**D1458**
black frame – Black Dekton "Sirius" *	**D1458N**
stainless steel frame – White Dekton "Mooné" *	**D1457**

- Stainless steel frame (1 mm thickness) integrating a DEKTON plate.
- To rest your pans or hot plates from cooking.
- For all kinds of worktops.
- 300°C temperature resistance.
- Assembly: cut the worktop to fitment size and install the product with silicone to seal.
- It is possible to mount this accessory for a professional repair in the event of a shock observed on the work surface.

***Solid Collection**




READY TO INSTALL

STAINLESS STEEL PAN TRIVET

FINISH	REF.
brushed stainless steel	D1565

- Stainless steel square ready-to-install on a smooth surface thanks to its heat-resistant double sided tape adhesive.
- You can put your saucepans, frying pans and hot dishes down on all types of worktop when you take them off the heat: postformed, solid wood or granite without any need for machining (except stone worktops).
- Consists of one ø 66 mm piece and four ø 30 mm pieces.
- Stainless steel.






READY TO INSTALL

STAINLESS STEEL PAN TRIVET

FINISH	REF.
brushed stainless steel	D1550
black	D1553

- Stainless steel circles ready-to-install on a smooth surface thanks to its heat-resistant double sided tape adhesive.
- You can put your saucepans, frying pans and hot dishes down on all types of worktop when you take them off the heat: postformed, solid wood or granite without any need for machining (except stone worktops).
- Consists of one ø 55 mm piece and six ø 30 mm pieces.
- Stainless steel.






READY TO INSTALL

STAINLESS STEEL TRIVET

Star shape

consists of eight 80 mm-long rods

FINISH	REF.
brushed stainless steel	D1535




– You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
– Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
– For all types of worktop: post-formed, solid wood or granite (smooth surface).
– Installed without machining the worktop.
– Stainless steel.



Special long dish

consists of eight 130 mm-long rods.

FINISH	REF.
brushed stainless steel	D1525








READY TO INSTALL

STAINLESS STEEL PAN TRIVET

FINISH	REF.
bright stainless steel 4 mm	D1520
black 4 mm	D1523

- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.
- Consists of six 296 mm-long rods.
- Stainless steel.








READY TO INSTALL

STAINLESS STEEL PAN TRIVET

FINISH	REF.
stainless steel	D1530
black	D1533

- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.
- Consists of:
  two 296 mm,
  two 250 mm
  two 130 mm-long rods.
- Stainless steel.








READY TO INSTALL

MAGNETIC "FIVE" 2-IN-1 PAN TRIVET

FINISH	REF.
black	D1591
red	D1593

- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.
- Consists of five Ø 25 mm circles, made of chrome-plated metal.
- Silicone tablemat serving as installation template.
- Soft food-grade silicone with notch for hanging it up and integrated magnets.
- Withstands temperatures up to 250 °C.
- Clean with water.






READY TO INSTALL

2-IN-1 PAN TRIVET

FINISH	REF.
black	D1581
taupe	D1582

- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.
- Consists of five Ø 25 mm circles, made of chromeplated metal.
- Silicone tablemat serving as installation template.
- Soft food-grade silicone with notch for hanging it up.
- Withstands temperatures up to 250 °C.
  Clean with water.








2-IN-1 PAN TRIVET

READY TO INSTALL

FINISH	REF.
chrome-plated metal / black silicone	D1541


- You can put your saucepans, frying pans and hot dishes down when you take them off the heat.
- Chrome-plated metal with central silicone pad.
- Ready-to-install on the worktop thanks to its heat-resistant double sided tape.
- For all types of worktop: post-formed, solid wood or granite (smooth surface).
- Installed without machining the worktop.
- Consists of six 210 mm-long rods.
- Silicone trivet serving as template for positioning the protection rods. Soft food-grade silicone.
- Withstands temperatures up to 250 °C.
- Clean with water.





Ø 6 mm

KITCHEN ISLAND GLASS DIVIDER



Height 170 mm


FINISH	REF.
transparent glass kit + support 600	D1760
black glass kit + black support 600	D1763N
transparent glass kit + support 900	D1790
satin glass kit + support 900	D1790S
black glass kit + black support 900	D1793N
transparent glass kit + supporto 1200	D1712
kit of 2 chrome supports	D170



Height 200 mm

FINISH	REF.
transparent glass kit + support 900	D2090

- Tempered transparent glass, thickness 8 mm.
- With 2 round chrome or black supports, attached under the worktop.
- Protects the worktop against cooking and water splashing.
- Glass removable for easy cleaning.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.








Ø6mm

KITCHEN ISLAND GLASS DIVIDER

FINISH	REF.
transparent glass kit + support	**D1890**
black glass kit + chrome support	**D1890N**
black glass kit + black support	**D1893N**
satin glass kit + chrome support	**D1890S**
satin glass kit + black support D1893S	**D1893S**
kit of 2 square chrome supports	**D180**

- Tempered transparent glass, thickness 8 mm.
- With 2 brushed stainless steel supports, attached under the worktop.
- Protects the worktop against cooking and water splashing.
- Glass held on the support by a magnet.
- Glass removable for easy cleaning.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.






INTEGRATED DOUBLE SIDED TAPE ATTACHMENT

KITCHEN ISLAND KIT WITHOUT DRILLING 900 MM

- Tempered transparent glass, thickness 8 mm.
- With 2 chrome supports, double sided tape attachment to the worktop.
- Protects the worktop against cooking and water splashing.
- Glass removable for easy cleaning.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.

FINISH	REF.
transparent glass kit + support	D1895
satin glass kit + support	D1895S
kit of 2 square supports without glass	D185








Ø 6 mm

KITCHEN ISLAND MAGNETIC GLASS SEPARATOR KIT

FINISH	REF.
glass kit + support 900	**D1690**

- Tempered transparent glass, thickness 6 mm.
- With 2 brushed stainless steel supports, attached under the worktop.
- Protects the worktop against cooking and water splashing.
- Glass held on the support by a magnet.
- Glass removable for easy cleaning.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.






INTEGRATED DOUBLE SIDED TAPE ATTACHMENT

KITCHEN ISLAND GLASS SEPARATOR 900 MM

FINISH	REF.
transparent glass kit + stainless steel support	D2190

- Tempered transparent glass, thickness 8 mm.
- With 2 stainless steel supports, double sided tape attachment to the worktop.
- Protects the worktop against cooking and water splashing.
- Glass removable for easy cleaning.





KITCHEN ISLAND SEPARATOR KIT 900 MM

INTEGRATED DOUBLE SIDED TAPE ATTACHMENT


NO-DRILL INSTALLATION

FINISH	REF.
transparent glass kit + matte black supports	D1993
black glass kit + matte black supports	D1993N

- Tempered removable glass, transparent or black, 8 mm thickness.
- 2 removable metal supports with matte black finish.
- 2 metal mounts to be stuck or screwed in place with integrated double sided tape.
- Protects the worktop against splashing and is easy to clean.
- Suitable for gas hobs, do not allow the pans to come into contact with the separator.









92R-NM
p. 56

TABLE LEGS



12K-N
p. 57



86R-2-BM
p. 64



D1770
p. 59

TABLE LEGS





100 kg Maximum load

Incompatible with individual table

ORIGAMI

STEEL LEG HEIGHTS : 720/870/900 MM

Sold in sets of 2 only

Height 720 mm

FINISH	REF.
matte black	**91R-NM**

Height 870 mm


FINISH	REF.
matte black	**92R-NM**

Height 900 mm


FINISH	REF.
matte black	**93R-NM**

- Matte black finish (RAL 9005).
- Screws provided.
- Adjustable feet : 0-10 mm.
- **These legs can not be used to make a table.**





THINK OF THE ACCESSORIES, SEE PAGES 11 & 12



FOR WORKTOP INSTALLATION

Ⓓ REGISTERED DESIGN
since 2022





100 kg
Maximum load

HEIGHT-ADJUSTABLE LEG KAL

Height adjustable from 700 to 730 mm*

FINISH	REF.
matte black steel	**10K-N**

Height adjustable from 860 to 890 mm

FINISH	REF.
matte black steel	**12K-N**

Height adjustable from 900 to 930 mm

FINISH	REF.
matte black steel	**13K-N**

Optional set of 4 spacers in metal

FINISH	REF.
brushed stainless steel	**D8020**
matte white	**D8024**
matte gold	**D8029**

The KAL leg features an innovative design with four removable spacer in metal, allowing the height to be adjusted from 1 to 4 cm.
Supplied pre-assembled with four central spacer rings in a matte black finish.
Adjustment feet provide an additional 0–10 mm of height adjustment.

***Suitable for use as a table leg using reference 10K-N only.**

Optional spacer ring sets are available separately in brushed stainless steel, gold, or white steel finishes.






TABLE LEGS



150 kg Maximum load

STEEL "H" SQUARE LEG-HEIGHTS : 710/870/900 MM

Height 710 mm


FINISH	REF.
matte black	**D150N**

Height 870 mm

FINISH	REF.
matte black	**D160N**

Height 900 mm

FINISH	REF.
matte black	**D165N**



- Square profile 50 x 50 mm.
- Welded plate.
- 750 mm footprint.
- Matte black finish (RAL 9005).
- Adjustable feet : 0-10 mm.
- Screws supplied.

Can be used as table legs: 2 legs with tabletop, dimensions L 160 x W 90 x th.30.



150 kg Maximum load


STEEL "H" ROUND LEG-HEIGHTS : 720/870 MM

Height 720 mm

FINISH	REF.
matte black	**D170N**

Height 870 mm

FINISH	REF.
matte black	**D180N**



- Matte black finish.
- 50 mm diameter.
- Welded plate.
- Adjustable feet : 0-10 mm.

Can be used as table legs: 2 legs with tabletop, dimensions L 160 x W 90 x th.30.





150 kg Maximum load

STEEL "MONTANA" LEG-HEIGHTS : 710/870/900 MM

Height 710 mm

FINISH	REF.
matte black	D177N
matte gold	D1770

Height 870 mm


FINISH	REF.
matte black	D178N
matte gold	D1780

Height 900 mm


FINISH	REF.
matte black	D179N
matte gold	D1790

- Matte black or matte gold finish.
- Welded mounting plate.
- Adjustable feet : 0-10 mm.

Can be used as table legs:
2 legs with tabletop, dimensions L 160 x W 90 x th.30.



THINK OF THE ACCESSORIES, SEE PAGES 11 & 12



FOR WORKTOP INSTALLATION

TABLE LEGS



150 kg
Maximum load

STEEL 50 X 50 "X" LEG-HEIGHTS : 720/870/900 MM

Height 720 mm

FINISH	REF.
matte white	D227B
matte black	D227N

Height 870 mm

FINISH	REF.
matte white	D228B
matte black	D228N


Height 900 mm


FINISH	REF.
matte white	D229B
matte black	D229N

- Square 50 x 50 mm profile.
- Matte white finish (RAL 9003) or matte black finish (RAL 9005).
- 520 mm or 750 mm welded plate.
- Adjustable feet : 0-10 mm.
- Screws supplied.

Can be used as table legs:
2 legs with tabletop, dimensions L 160 x W 90 x th.40.







Ⓓ REGISTERED DESIGN
since 2018



150 kg Maximum load

Incompatible with individual table

STEEL AERIAL LEG-HEIGHTS : 710/870/ 890/900 MM

Height 710 mm

FINISH	REF.
matte black	D207N
matte white	D207B

Height 870 mm

FINISH	REF.
matte black	D208N
matte white	D208B

Height 890 mm


FINISH	REF.
matte black	D206N

Height 900 mm


FINISH	REF.
matte black	D209N

- Square 50 x 50 mm profile.
- Welded plate and offset.
- Fixing plate width : 700 mm
- Total leg width : 900 mm
- Matte black finish (RAL 9005) or matte white (RAL 9003).
- Adjustable feet : 0-10 mm.
- Screws supplied.
- **These legs can not be used to make a table.**





THINK OF THE ACCESSORIES, SEE PAGES 11 & 12



FOR WORKTOP INSTALLATION

TABLE LEGS





100 kg
Maximum load

STEEL "ALASKA" LEG-HEIGHTS : 720/870 MM

Height 720 mm


FINISH	REF.
matte black	**D257N**


Height 870 mm


FINISH	REF.
matte black	**D258N**

- Matte black finish.
- Welded mounting plate.
- Adjustable feet : 0-10 mm.

Can be used as table legs:
2 legs with tabletop, dimensions
L 160 x W 90 x th.30.









THINK OF THE ACCESSORIES, SEE PAGES 11 & 12

Attachment brackets





Stiffeners

FOR WORKTOP INSTALLATION





150 kg
Maximum load

TAPERED STEEL LEG HEIGHTS : 715/870 MM

Height 715 mm


FINISH	REF.
matte black	**D237N**


Height 870 mm

FINISH	REF.
matte black	**D238N**

- Matte black finish.
- Welded mounting plate.
- Screws supplied.
- Adjustable feet : 0-10 mm.


Can be used as table legs:
2 legs with tabletop, dimensions L 160 x W 90 x th.30.






THINK OF THE ACCESSORIES,
SEE PAGES 11 & 12

Attachment brackets





Stiffeners

FOR WORKTOP INSTALLATION

TABLE LEGS







150 kg Maximum load

STEEL "STRONG" LEG-HEIGHTS : 710/870/890/900 MM

Sold in sets of 2 only

Height 710 mm

FINISH	REF.
matte black	81R-2-NM
matte white	81R-2-BM
matte black with laser cutting	85R-2-NM
matte white with laser cutting	85R-2-BM
brushed stainless steel with laser cutting	85R-2-IB

Height 870 mm

FINISH	REF.
matte black	82R-2-NM
matte white	82R-2-BM
matte black with laser cutting	86R-2-NM
matte white with laser cutting	86R-2-BM
brushed stainless steel with laser cutting	86R-2-IB


Height 890 mm

FINISH	REF.
matte black	83R-2-NM
matte black with laser cutting	87R-2-NM

Height 900 mm

FINISH	REF.
matte black	84R-2-NM
matte black with laser cutting	88R-2-NM

- Matte black (RAL 9005) or matte white (RAL 9016) finish.
- Screws supplied.
- Flush mounting possible.
- Adjustable feet : 0-10 mm.
- **Can be used as table legs.**



Ⓓ REGISTERED DESIGN
since 2021



150 kg Maximum load

Profile dimensions 50 x 50

SQUARE STEEL LEG 50 X 50 MM

Height 710 mm

FINISH	REF.
chrome	10R-CH
brushed stainless steel	10R-IB
raw steel*	10R-AB
matte black *	10R-N
matte white	10R-B

Height 870 mm

chrome	12R-CH
brushed stainless steel	12R-IB
raw steel*	12R-AB
matte black *	12R-N
matte white	12R-B

Height 890 mm

brushed stainless steel	11R-IB
matte black *	11R-N

Height 900 mm

chrome	13R-CH
brushed stainless steel	13R-IB
raw steel*	13R-AB
matte black *	13R-N

Height 920 mm

chrome	14R-CH
brushed stainless steel	14R-IB
raw steel*	14R-AB
matte black *	14R-N



- Chrome, brushed stainless steel, raw steel, matte black (RAL 9005) or matte white (RAL 9010) finish.

*** Black fixing plate for raw steel matte black finishing.**

SQUARE STAINLESS STEEL LEG

100% INOX

Sold individually

Aisi 304 Stainless steel with a brushed finish

HEIGHT	REF.
710	18R-IB
870	20R-IB
900	21R-IB

- 50 x 50 mm profile size.
- Fixed directly under the worktop.
- Steel plate.
- Screws supplied.
- Adjustable feet : 0-10 mm.

TABLE LEGS



150 kg Maximum load

SQUARE STEEL LEG 60 X 60 MM


Sold in sets of 4 only

Height 710 mm

FINISH	REF
brushed stainless steel	**44R-IB**

- Profile size 60 x 60 mm.
- Fixed directly under the worktop.
- Steel plate.
- Screws supplied.
- Plastic pads not adjustable.

FIXING PLATE FOR GLASS WORKTOPS



For 60 x 60 mm legs ref. 43R and 44R

FINISH	REF.
chrome	**D8006**

Gluing by ultraviolet to be done by a professional.
Fixing part for 60 x 60 mm leg by gluing the plate under the glass or marble worktop.



INSTALLATION

150 kg Maximum load


Sold individually

Height 700 mm

FINISH	REF.
brushed stainless steel	**43R-INOX-BROSSE**
matte black *	**43R-NOIR**
raw steel *	**43R-AB**
matte taupe *	**43R-TAUPE**
matte white	**43R-BLANC**

* Black plate for raw steel, matte black and matte taupe finish.
- Profile size 60 x 60 mm
- Fixed directly under the worktop.
- Aluminum mounting plate.
- Screws supplied.
- Brushed stainless steel, matte black (RAL 9005), raw steel, matte white (RAL 9010) or matte taupe (RAL 7006) finish.
- Adjustable feet : 0-10 mm.

FIXING PLATE FOR FLUSH INSTALLATION



For 60 x 60 mm legs ref. 43R and 44R

FINISH	REF.
brushed stainless steel	**D8016**
matte black	**D8018**

Aluminum plate fixing to allow a flush installation between the leg and the table.





150 kg
Maximum load

SQUARE STEEL LEG 60 X 60 MM

Sold individually

FINISH	REF.
Height 820 mm	
brushed stainless steel	55R-INOX-BROSSE
matte black	55R-NOIR
Height 860 mm	
brushed stainless steel	52R-IB
matte black	52R-NOIR
Height 870 mm	
brushed stainless steel	56R-INOX-BROSSE
matte black	56R-NOIR
raw steel	56R-AB
matte taupe	56R-TAUPE
matte white	56R-BLANC
Height 890 mm	
brushed stainless steel	51R-IB
matte black	51R-N
matte white	51R-BLANC
Height 900 mm	
brushed stainless steel	53R-IB
matte black	53R-NOIR
Height 920 mm	
brushed stainless steel	54R-IB
matte black	54R-NOIR
Height 1100 mm	
brushed stainless steel	57R-INOX-BROSSE
matte black	57R-NOIR

- Possibility of flush mounting using plate D8016 or D8018 (leg: 60 x 60 mm).
- Adjustable feet : 0-10 mm.

ATTACHMENT PLATE

For glass worktops (see design p.66)

FINISH	REF.
chrome for leg 60x60	D8006
chrome for leg 80x80	D8007

For flush mounting (see design p.66 and p.69)

FINISH	REF.
brushed stainless steel 60 x 60	D8016
black for leg 60 x 60	D8018

- Gluing by ultraviolet to be done by a professional.
- Fixing part for 60 x 60 mm and 80 x 80 mm leg by gluing the plate under the glass or marble worktop.

TABLE LEGS



150 kg Maximum load

INSTALLATION

SQUARE STEEL LEG 60 X 60 MM

Sold individually

- Aluminium mounting plate.
- Screws supplied.
- Adjustable feet : 0-10 mm.

FINISH	REF.
Height 700 mm	
brushed stainless steel	**70R-IB**
Height 870 mm	
brushed stainless steel	**71R-IB**
Height 900 mm	
brushed stainless steel	**72R-IB**





150 kg Maximum load

Profile dimensions **80 x 80**

SQUARE STEEL LEG 80 X 80 MM

Sold individually

- Brushed stainless steel or matte black (RAL 9005).
- Adjustable feet : 0-10 mm.

	FINISH	REF.
Height 860 mm	matte black *	62R-NOIR
Height 870 mm	brushed stainless steel	59R-IB
	matte black *	59R-NOIR
Height 900 mm	brushed stainless steel	63R-IB
	matte black *	63R-NOIR
Height 920 mm	brushed stainless steel	61R-IB
	matte black *	61R-NOIR
Height 1100 mm	matte black *	60R-NOIR

*** Black mounting plate for matte black leg finish.**

TABLE LEGS



150 kg Maximum load

Profile dimensions **Ø60**

STEEL LEG Ø 60 MM

Sold in sets of 4

Height 710 mm

FINISH	REF.
matte white	25R-BLANC
matte black	25R-NOIR
chrome	25R-CHROME
brushed stainless steel	25R-INOX-BROSS
grained aluminum	25R-ALU-GAUFRE
graphite	25R-GRAPHITE

Sold individually


Height 710 mm

FINISH	REF.
matte white	26R-BLANC
matte black	26R-NOIR
chrome	26R-CHROME
brushed stainless steel	26R-INOX-BROSS
grained aluminum	26R-ALU-GAUFRE
graphite	26R-GRAPHITE

- Attached directly under the tabletop.
- Aluminium mounting plate.
- Adjustable feet : 0-20 mm.
- Screws supplied.




THINK OF THE ACCESSORIES, SEE PAGES 11 & 12



FOR WORKTOP INSTALLATION





150 kg Maximum load

Profile dimensions **Ø60**

ROUND STEEL LEG Ø 60 MM

Sold individually

Height 820 mm

FINISH	REF.
chrome	45R-CH
brushed stainless steel	45R-INOX-BROSS
grained aluminium	45R-ALU-GAUFRE

Height 870 mm

FINISH	REF.
chrome	46R-CH
brushed stainless steel	46R-INOX-BROSS
grained aluminium	46R-ALU-GAUFRE
matte black	46R-NOIR

Height 890 mm

FINISH	REF.
brushed stainless steel	48R-IB
matte black	48R-N

Height 1100 mm

FINISH	REF.
chrome	47R-CH
brushed stainless steel	47R-INOX-BROSS
matte black	47R-NOIR

- Fixed directly under the worktop.
- Aluminium mounting plate.
- Adjustable feet : 0-20 mm.
- Screws supplied.

FIXING PLATE FOR GLASS WORKTOPS

FINISH	REF.
chrome ø 65 mm	D8008-1

Gluing by ultraviolet to be done by a professional.



D8008-1




TABLE LEGS



150 kg Maximum load | Profile dimensions Ø 60 | Incompatible with individual table

ROUND STAINLESS STEEL LEG Ø 60 MM

100% INOX

Sold individually

Height 710 mm

FINISH	REF.
brushed stainless steel	**27R-IB**

Height 870 mm


FINISH	REF.
brushed stainless steel	**28R-IB**

Height 900 mm

FINISH	REF.
brushed stainless steel	**29R-IB**

- Aluminium mounting plate.
- Adjustable feet : 0-20 mm.
- Screws supplied.
- **These legs can not be used to make a table.**


THINK OF THE ACCESSORIES, SEE PAGES 11 & 12



FOR WORKTOP INSTALLATION



D8008-1



FIXING PLATE FOR GLASS WORKTOPS

FINISH	REF.
chrome ø 65 mm	**D8008-1**

Gluing by ultraviolet to be done by a professional.



THINK OF THE ACCESSORIES, SEE PAGES 11 & 12

Attachment brackets

Stiffeners

FOR WORKTOP INSTALLATION

100 kg Maximum load

Profile dimensions **80 x 80**

Incompatible with individual table

For wood worktops

Height adjustable from 820 to 1100 mm

FINISH	REF.
brushed stainless steel	**D35IB**
matte black	**D35N**

TELESCOPIC STEEL LEG TILTED AT 70° 80 X 80 MM

- Attachment plate: 180 x 180 mm.
- Plate attached with screws.
- Brushed stainless steel or matte black finish.
- **These legs can not be used to make a table.**




TABLE LEGS



100 kg Maximum load

Incompatible with individual table


TELESCOPIC STEEL LEG Ø 60 MM

Sold individually

Height-adjustable from 820 to 900 mm

FINISH	REF.
brushed stainless steel	G60IB
matte black	G60N

- Fixed directly under the worktop.
- Can be adjusted perfectly after tabletop installation by set-screw (screw cover included).
- Screws not supplied.
- **These legs can not be used to make a table.**





TELESCOPIC STEEL LEG Ø 80 MM AND 120 MM

Sold individually


Ø 80 mm

Height-adjustable from 680 to 900 mm

FINISH	REF.
brushed stainless steel	G-80-IB
black/stainless steel	G-80-NI
matte black	G-80-N

Height-adjustable from 900 to 1100 mm

FINISH	REF.
brushed stainless steel	GH-80-IB
black/stainless steel	GH-80-NI
matte black	GH-80-N




Ø 120 mm

Height-adjustable from 680 to 870 mm

FINISH	REF.
brushed stainless steel	G-120-IB
matte black	G-120-N

Height-adjustable from 900 to 1100 mm

FINISH	REF.
brushed stainless steel	GH-120-IB
matte black	GH-120-N



- Fixed directly under the worktop.
- Screws supplied.





100 kg Maximum load | Profile dimensions **80 x 80** | **Incompatible with individual table**

TELESCOPIC STEEL LEG 80 X 80 MM

Sold individually

Height-adjustable from 820 to 1100 mm

FINISH	REF.
brushed stainless steel	**D33-IB**
matte black	**D33-N**

- Attached directly under the tabletop.
- Adjustable feet : 0-20 mm.
- Screws supplied.




TABLE LEGS





100 kg Maximum load

Incompatible with individual table


TELESCOPIC STEEL LEG Ø 120 MM

Sold individually

Height-adjustable from 680 to 920 mm

FINISH	REF.
brushed stainless steel	D32-IB
matte black	D32-NOIR

- Fixed under worktop by screws.
- Screws supplied.



GOOD TO KNOW!
LET'S TALK ABOUT TABLE

CREATE A MEAL COUNTER WITH LEGS

All our legs can be used to create a meal counter with a worktop.



CREATE A TABLE USING "SNACK" LEGS

With "POINTE" or "STRONG" legs you can create a 160 x 90 cm table, with a 30 mm thick made of melamine, laminate or solid tabletop.

We recommend you attach the legs to the table using inserts in order to improve the assembly.




HINTS & TIPS

Attach your worktops with our brackets (p. 11-12), then complete installation with our stiffener to prevent the worktop from sagging.



DETERMINING THE HEIGHT

Table or snack counter leg height



LEG HEIGHT

- Adjustment pad set to minimum.
- Attachment plate included.

USUAL LEG HEIGHTS

Table: 700 to 730 mm.
Worktop: 800 to 920 mm.
Snack counter: 1000 mm and more.

MSA FRANCE - GENERAL TERMS AND CONDITIONS OF SALE

01 - The fact of placing an order with us means unconditional acceptance of these general terms and conditions of sale, which prevail over the buyer's own terms and conditions.

02 - Once we have accepted and confirmed them, the special orders can no longer be cancelled.

03 - The prices we quote are always exclusive of tax. VAT is invoiced at the rate that applies on the day of delivery.

04 - The prices we quote may be subject to modification owing to application, as stipulated in article R543-247 of Environmental Law, of a contribution to the cost of eliminating waste furniture elements (starting from 1st May 2013). MSA FRANCE is registered on the national register of furnishing element and electrical and electronic appliance sellers under the Unique Identifier FR001138_10ZNK8. This number guarantees that MSA FRANCE, by adhering to 'éco-mobilier et écosystem', complies with the regulatory obligations incumbent on it pursuant to article L.541-10-13 of Environmental Law.

05 - As the delivery lead-times that we accept or indicate are always purely indicative, no late delivery of an order may give rise to indemnification.

06 - Our prices are quoted ex-MSA, even in the case of carriage free deliveries. Our goods are always transported at the risk of the consignee. It is therefore the latter's responsibility in the case of late delivery, damage or loss, to make its claim itself against the shipper. This possible circumstance does not cancel, suspend or modify the obligation to pay the entire amount of the invoice on the agreed date.

07 - Any claim relative to our deliveries must be made by recorded delivery letter sent to our head office within 8 days following delivery. Returns of our goods will be refused without our prior written acceptance.

08 - All our products are guaranteed for 2 years. The guarantee is strictly limited to the repair or replacement (at our option) of the products presenting a defect making them improper for normal use. This guarantee also covers the cost of transporting our products to be repaired or replaced. The removal and re-installation expenses are excluded from the guarantee as are any other direct or indirect damages whatever the cause may be.

09 - It will only be possible to make a refund for an article after said article has been returned to our premises, return within one month following opening of the dossier otherwise the article will be invoiced. A credit note will only be drawn up after the return of the defective article to our premises and after confirmation of the manufacturing defects by our after-sales department. No other indemnity being owed for any cause whatsoever. In the case of return of products "said to be defective" and after examination by our technical department, a discount of 30% will be applied with respect to the original purchase value.

10 - In the case of an ordering error or of cancellation for any reason whatsoever, we accept to take back the goods concerned subject to the following reservations:
- The goods will be returned carriage paid by you, in perfect condition, in their original packing with, where applicable, all the spare parts, with any additional protections that may be required for the type of transport chosen.
- A discount of 20% of the sale price excluding VAT will be applied, and this may be increased if the product is damaged during the return shipment.

11 - Our invoices are payable:
- Net 30 days after the end of the month of invoicing by direct Letter of Credit (not accepted), according to the information collected.

12 - All our invoices, whatever their means of settlement, are payable in Saint-Raphaël. Only payments made directly to us give valid discharge.

13 - Any sum not paid on the due date will give rise to payment by the customer of penalties fixed at three times the legal rate of interest. These penalties are due by rights. Pursuant to articles 441-6 c. com. and D. 441-5 c. com., any late payment leads by rights, besides the late-payment penalties, to an obligation for the debtor to pay an all-in indemnity of €40 as recovery costs.

14 - In the case of staggered deliveries, as in the case of a succession of orders, non-payment of any one of the invoices at its due date authorises MSA either to demand guarantees, or to suspend or cancel deliveries that have not yet been made, as it prefers, without prejudice to its right to demand compensation for the harm that it has thus suffered.

15 - The same rights as above are open to MSA in the case of any change whatsoever, whether legal or otherwise, in the person or situation of the buyer.

16 - In the case of staggered payments of any given invoice, failure to meet any one of the due dates makes all the following ones immediately payable and initiates the penalties of article 13 on the totality of the outstanding sum.

17 - In the case of dispute, the Commercial Court of FRÉJUS is alone competent, including in the case of summary proceedings, warranty proceedings or multiple defendants.

18 - Pursuant to Law No 80-335 of 12 May 1980, the goods delivered remain the property of MSA through to perfect payment of the price, including any penalties. This clause cancels any of the buyer's clauses to the contrary (Law No 85-98 of 25/01/1985, art. 121, modified by art. 19 of Law No 96-588 of 1st July 1996).

19 - MSA reserves the right to modify these general terms and conditions of sale should it have a legitimate reason to do so.





msa FRANCE

INSPIRATION

INSPIRATION







145 RUE ISAAC NEWTON
TECHNOPARC EPSILON 1
83700 SAINT-RAPHAËL

TEL : 04 94 19 89 70
EXPORT@MSAFRANCE.COM

www.msafrance.com

SAS (SIMPLIFIED JOINT STOCK COMPANY) WITH CAPITAL OF €800,000
SIRET Company registration No. 420 399 180 00017
INTRACOMMUNITY VAT No FR 604 203 991 80